

INDEX, 1972, Nos. 1-4

NEW NAMES

- Apristurus kampa* 71-78
Cyprinodon milleri 769-780
Etheostoma chlorbranchium 427, 429-443, 445-446
Eupomacentrus rocasensis 330-335
Glyptothorax coheni 340, 342-344
Glyptothorax nelsoni 340-342
Hyla cruentomma 265-271
Noturus taylori 785-789
Opisthonema captivai 1-3
Opistognathus megalepis 48-50
Opistognathus melachasma 50-53
Peltorhamphus latus 354-355
Peltorhamphus tenuis 353-354
Phenablenniini (new tribe) 65-66
Phenablennius heylligeri 66-71
Salmo apache 401-421
Sebastes rufinamus 423-427
Syngnathus scovelli makaxi 781-784
Xenotoca melanosoma 750-755

NEW AND ESTABLISHED NAMES

- Ablepharus*
boutoni 131-132
butleri 132-133
greyi 131-132
taeniopleurus 131-132, 136
Abramis 882
brama 882
Abramites
microcephalus 10
Abudefduf
abdominalis 826-828
Acanthixalus 201
Acanthurus
xanthopterus 829-830
Acerina 812
Acipenser
oxyrhynchus 326
stellatus 395
sturio 362
Acris
crepitans 380, 519-524, 617
gryllus 523, 640
Aeluoscalabotes
felinus 562, 564, 566-570
Afraxalus 201
congius 200
Agalychnis
callidryas 688, 694
Aghistrodon
bilineatus 258, 260, 262-264
contortrix 258, 260, 262-264, 578
piscivorus 224, 258, 260, 262-264
Allodontichthys 729, 732
Alloophorus 728-729, 732, 739
Allotoca 732, 739
dugesi 731, 737
Alosa
pseudoharengus 597
Alticus 69
Amacrodon 18
Ambloplites
rupestris 789, 878
Ambystoma
annulatum 664-668
cingulatum 586
maculatum 586, 632, 639, 665, 667, 889
mexicanum 178-179, 889, 891
opacum 586
talpoideum 586
texanum 586
tigrinum 178, 586, 889-892
tigrinum marvortium 889
Amea 729, 732
splendens 731, 737, 743, 747, 753
Ameiurus 790
catus 790
Amia
calva 326, 363, 860
Amiurus 790
Ammotretis 347
Amphelikturus
dendriticus 844, 847-848
Amphibolurus 141, 493
adelaidensis 132-133
barbatus 506
caudicinctus 128, 132, 137, 506
clayi 132, 134, 136, 139, 142, 506
cristatus 132-133, 135, 137, 142, 506-507
dualis 506
femoralis 132, 137
fordi 128, 132, 134, 136, 139, 142, 506
inermis 132, 134, 142, 506, 645
isolepis 132, 137, 139, 142, 506
muricatus 506
ornatus 110, 657
pictus 132-133, 506
reticulatus 128, 132, 137, 139, 142, 506
reticulatus inermis 119
rufescens 132, 135
scutulatus 128, 132, 135, 137, 139-140, 142, 506
Amphiodon
alosoides 883
alveoides 883
Amphiura 664
means 586
pholeter 586
tridactylum 586
Anacanthobatis
marmoratus 356
Anadia
bitaeniata 886, 888
Andrias
japonicus 586
Aneides 378
aeneus 632
hardii 489
Anguilla 56
anguilla 367
Anisotremus
virginicus 8

- Anniella*
pulchra 648
Anolis 388
acutus 509-518
carolinensis 230, 256, 515-516, 531, 568, 575-577
cybotes 516
grahami 515-517
lineatopus 516-517
richardi 516-517
sagrei 516-517
trinitatus 515-516
Anoplarchus
purpureus 187-188
Anoplogaster
cornuta 871
Anoptichthys 415
Antennarius 31
nummifer 38-39
striatus 5
Anthias
anthias 600
heraldi 599-600
squamipinnis 600
Antimora
rostrata 73
Aphanius
dispar 776
Aphanopus 85
Aplocheilichthys
macrophthalmus new subsp. 198
Apogon
novemfasciata 5, 8
sp. 5
Aporosaura
anchietae 506
Apostolepis
ambiniger 588-590
ambinigra 588
ambinigra vittata 588
erythronotus lineatus 589
tenuis 588-590
vittata 588-590
Apristurus
atlanticus 71, 76
brunneus 71, 73, 76-77
herklotsi 71, 76
indicus 71
kampae 71-78
laurussonii 71
macrorhynchus 71
maderensis 71, 76-77
microps 71, 76
nasutus 71, 77
platyrhynchus 71, 76
profundorum 71, 76
riveri 71, 76-77
saldanha 71
sibogae 71
spongiceps 71, 76
verweyi 71, 76
Apsidontus
taeniatus 831
Apteronotus
albifrons 191-192
Arapaima
gigas 326-328
Argyrolepecus
lychna 451, 455-456
Arizona
elegans 258-259, 262, 264
Arthroleptis 200
Ascaphus
truei 379
Astyanax
fasciatus 388
mexicanus 317
Ateniobius 732
Avocettina
bowersi 451
Bajacalifornia
burragei 451
Barbus
new spp. 198
Basiliscus
basiliscus 387-388
vittatus 388
Bathophilus
filifer 451, 454-455
Bathygobius
soporator 287, 477, 479, 481
Bathylagus
nigrigenys 451, 455
Batrachemys
nasuta 101
Batrachuperus
pinchonii 586
Benthosema
panamense 448, 451-453, 456-459
Bertelsenna 17
Blennius
normani 65
ocellaris 65
pavo 6
Blicca 7
Boa
constrictor 180
Bodianus
bitumulatus 826-828
Bombina
orientalis 379
Boophis 200
Borophryne
apogon 29, 35-36, 41, 45
Bothus
lunatus 5
Brachydanio
rerio 302-305
Brachygalaxias
bullocki 368-370
Brasilotyphlus 693
Bregmaceros
bathymaster 451, 454-455
Brevoortia
tyrannus 370-373
Buergeria 200
Bufo
americanus 151-157, 174, 240-245
bocourti 377-378
boreas 157, 579-581
boreas halophilus 580-581
bufo 157, 363-364, 677, 886
canaliferus 378
cognatus 381-382
compactilis 381-383
debilis 378, 572-574
fowleri 617
garmani 669-671, 674-675
ibarra 377-378

mari
micro
punc
range
regul
specie
spinu
terres
typho
vallic
wood
wood
Caecilia
elonga
nigric
tenta
volcan
Callionyx
belche
beleni
calcar
festiv
grossi
kaiani
lyra 46
macul
marley
spp. 46
sublae
Callisaur
dracon
dracon
dracon
dracon
Callixalus
Campost
anom
Caranx
kalla 87
malaba
Carapus
bermu
homei 8
mourla
parvipi
reedi 84
Carassius
auratus
carassius
Carcharhi
gangelic
leucas 36
limbatu
milberti
nicaragu
obscuru
platyoda
porosus
Carcharias
brevirost
Carcharode
carcharia
Cardiogloss
Caretta
caretta ca
Carpiodes
Caspiomyza
Catostomus
commers

- marinus* 240-245, 613, 615-618, 885
microscaphus 580-581
punctatus 377-378
rangeri 379
regularis 669-673, 675
speciosus 378, 381-383
spinulosus 379
terrestris 363-364, 613, 615-624
typhonius 379
valliceps 157, 377-378
woodhousii (ei) (i) 174, 245, 377-378, 380
woodhousei fowleri 182-185, 241
- Caecilia* 680, 691
elongata 692
nigricans 692
tentaculata 692
volcani 692
- Callionymus*
belcheri 461-469
belenus 466
calcaratus 468
festivus 464, 466
grossi 464-465
katanus moretonensis 468
lyra 461-462, 467-468
maculatus 467
marleyi 464
spp. 469
sublaevis 464-465, 467-468
- Callisaurus*
draconoides 493-507, 663, 695-701
draconoides carmenensis 494
draconoides crinatus 493
draconoides gabbi 493
- Callisaurus* 201
- Campostoma*
anomalum 789
- Cavanx*
halla 873-874
malabaricus 873-874
- Carapus*
bermudensis 842
homei 839-842, 872-873
mourlani 839-842
parvipinnis 839, 843
reedi 842
- Carassius*
auratus 816-819
carassius 60
- Carcharhinus*
gangeticus 602
leucas 309-313, 318, 320, 322-324, 601-604
limbatus 309
milberti 309-315, 317-318, 323
nicaraguensis 602
obscurus 309-311, 316
platyodon 601
porosus 601
- Carcharias*
brevirostris 601
- Carcharodon*
carcharias 307
- Cardioglossa* 200
- Caretta*
caretta caretta 101
- Carpiodes* 15
- Caspiomyzon* 470
- Catostomus*
commersoni 276, 878
- Caulophryne*
jordani 29, 35-36, 41-43, 45
- Cemophora*
coccinea 582-584
- Centrolophus*
niger 185
- Centrophryne* 19
gladisfenae 17
spinulosa 17-46
- Centropogon*
marmoratus 464
- Cephaloscyllium*
ventriosum 871-872
- Cerati*
holboelli 25, 29, 31, 34-35, 38, 39, 41, 45
- Ceratocephalus* 586
- Cetorhinus* 80
maximus 314
- Chacophrys*
pirotti 379
- Chaenogobius*
urotaenia 288
- Chaenophryne* 337
parviconus 35-36, 42-43, 45
- Chaenopsis*
alepidota 591
alepidota californiensis 591
- Chaetodon*
auriga 829-830, 833
lunula 826, 828-830
miliaris 826-830
striatus 8
- Chalcus*
macrolepidotus 192
- Chapalichthys* 732, 739
- Characodon* 729-730, 732, 735
eiseni 739
ferrugineus 740
garmani 732-733
lateralis 728-729, 731-739, 743, 747, 749, 753-754
variatus 739
- Chasmichthys*
dolichognathus 288
- Chauliodus* 86, 458
- Cheilinus*
rhodochrous 826-828, 831
- Chela* 7
- Chelodina*
longicollis 98, 101
- Chelus*
fimbriatus 101
- Chelydra* 97, 103-106
serpentina 219-221
serpentina acutirostris 98
serpentina osceola 97-99, 102
serpentina rossignoni 98
serpentina serpentina 97-100, 102-103, 105
- Chiasmocleis*
panamensis 895-898
- Chionactis* 162
- Chirixalus* 200
- Chiromantis* 200-201
- Chirophryne* 337-338
- Cholistium* 347
- Chromis*
ovalis 826-828
punctipinnis 423
- Chrysemys* 103-106
concinna mobilensis 387

- concinna suwanniensis* 385-387
marginata 541
picta 217-221, 387, 541
picta marginata 219
picta picta 98, 100, 392-394
scripta elegans 387
Chrysobatrachus 200-201
Cibolion 762
Cichlasoma
 dowii 7
 spp. 10, 388
Clarias
 batrachus 287
Claudius 97, 102-106
 angustatus 98-99
Clemmys 105
 guttlata 219
 insculpta 98, 100, 219
Clupea 883
Cnemidophorus
 tigris 502-506, 648, 719
Coleodactylus 559-560, 562-563, 568-570
 amazonicus 562, 564-565
 brachystomus 562
Coleonyx 564, 566, 570
 brevis 562, 564, 566, 568-569
 elegans 564, 568
 mitratus 562, 568
 memoralis 562, 568
 variegatus 560, 562, 564, 566, 568-569
Coluber
 constrictor 246-251, 258-259, 262, 264
 constrictor mormon 894
 jugularis 246-247, 249, 251
 ravergieri 246-251
Conolophus
 subcristatus 118
Conraua 200
Cookeolus
 boops 884-885
Copeotyphlinus 680, 691
Cophosaurus
 texanus 663
Coregonus
 asper 369
Coris
 angulata 5
Coryphaena 361
Coryphopterus
 hyalinus 590-591
Couesius
 plumbeus 287
Crinia
 georgiana 885-886
 rosea 167-168
 victoriana 163-168
Crossodactylus
 dispar 379
Crotalus
 atrox 258, 260, 262-264, 482-485
 basiliscus 258, 260, 262-264
 cerastes 262
 horridus 246-247, 249-251, 258, 260, 262-264, 483
 horridus atricaudatus 222-226
 lepidus 258, 260, 262-264
 molossus 258-259, 262-264
 scutulatus 258, 262-264, 483
 viridis 258-260, 262-264
Crotaphytus
 baileyi 721
 collaris 119, 663, 707-726
 collaris auriceps 711, 720
 collaris baileyi 711, 720-721
 collaris bicinctores 707, 721
 collaris collaris 720
 collaris dickersonae 720, 724
 collaris × insularis 707-726
 collaris ssp. 722, 725
 insularis 707-724
 insularis bicinctores 721-726
 insularis ssp. 720, 722
 insularis vestigium 720-721, 724-725
 reticulatus 724-725
 silus 719
 wislizeni 505-506, 719
Cruriraja 357
 rugosa 356
Cryptobranchius
 alleganiensis 665, 667-668
 allegheensis 586
Cryptopsaras
 couesi 31, 38-39, 45
Cryptopsophis 680-681, 691
 simus 686, 689-691
Cryptothylax 201
Ctenochaetus
 strigosus 826-830
Ctenochirichthys 337-338
Ctenopharyngodon
 idella 197
Ctenosaura
 pectinata 118, 249
Ctenotus 141
 ariadnae 132
 atlas 132, 142
 brooksi 128, 132, 134, 136, 139, 142
 brooksi aranda 134
 brooksi brooksi 134
 brooksi euclae 134, 139
 brooksi taeniata 134
 calurus 128, 132, 136-137, 139, 142
 colletti 128, 132, 136, 139, 142
 dux 128, 132, 136, 142
 grandis 128-129, 132, 136-137, 139, 142
 helenae 128-129, 132, 136-137, 142
 leae 128, 132, 134, 136, 139, 142
 leonhardii 128, 132, 135, 137, 139-140, 142
 mimetes 132, 137, 142
 pantherinus 128-129, 132, 137
 piankai 128-129, 132, 137, 142
 quattuordecimlineatus 128-129, 132, 136-137, 142
 schomburgkii 132, 134, 142
 severus 132, 137, 142
 uber 132, 137, 142
Cuora 104
 amboinensis 100
Cyclorana 625
Cyclorhamphus
 asper 379
Cyclothone
 acclinidens 88-96, 451-452, 456, 458, 868-871
 braueri 94, 870
 microdon 94, 870
 signata 88-96, 458, 868-871
 spp. 448, 451-453, 455-456, 458
Cymatogaster
 aggregata 287

Cynop
 pyrr
Cynos
 rega
Cyp
 diab
 mac
 mill
 neva
 neva
 radi
 rubr
 salin
 sp. 7
 varie
Cyprin
 carpi
 smith

Danaph
Dascyll
 albise
Dendro
Dermat
 mawii
Dermoc
 coria
Dermop
 balbo
 clarki
 costar
 ebura
 gland
 gracil
 mexic
 mexic
 oaxaca
 occide
 parvic
 septen
Desmode
 fuscus
 ochrop
Diaphus
 pacific
Dicampte
 ensatus
Diceratia
 bispin
Dicroglos
Diogenici
 laterna
Diplodac
 byrnei
 ciliaris
 conspic
 damaeu
 elderi
 galeatu
 interme
 maini
 pulcher
 squarro
 stenoda
 strophu
 taeniatu

- Cynops*
pyrrhogaster 586
- Cynoscion*
regalis 299-300
- Cyprinodon*
diabolis 772-775, 778
macularius 737, 776, 864
milleri 769-780
nevadensis 773-775, 777-778
nevadensis amargosae 778
radiosus 773-775
rubrofluvialis 864
salinus 769-776
sp. 769
variegatus 273, 776
- Cyprinus*
carpio 860
smithii 882-883
- Danaphryne* 337
- Dascyllus*
albisella 826-828, 831
- Dendrobatorana* 201
- Dermatemys* 97
mawi 98, 100, 102
- Dermochelys*
coriacea 101
- Dermophis* 680-683, 691-694
balboai 680, 685, 691
clarkii 680, 684
costaricense 680, 684, 691
eburatus 680, 683, 691
glandulosus 680, 685, 691
gracilior 680, 684, 691
mexicanus 680, 682-684, 690-694
mexicanus clarkii 691
oaxacae 680-684, 690-694
occidentalis 680, 685, 691
parviceps 680, 685, 687, 689, 691-694
septentrionalis 680, 684, 691
- Desmodema* 84
- Desmognathus*
fuscus 532, 539, 632-641, 665, 667
ochrophaeus 532-540
- Diaphus*
pacificus 451-453, 456, 458-459
- Dicamptodon*
ensatus 177-179
- Diceratias*
bispinosus 31, 46
- Dicroglossus* 200
- Diogenichthys*
laternatus 448, 451-453, 455-459
- Diplodactylus*
byrnei 132, 137
ciliaris 132
conspicillatus 131-132
damacus 132
elderi 132, 136-137, 142
galeatus 132, 135
intermedius 132-133
maini 132
pulcher 128, 132, 135, 137, 139
squarrosus 132, 137, 139
stenodactylus 128, 132, 136
strophurus 128, 132, 135, 137, 142
taeniatus 131-132, 139
- tessellatus* 132
vittatus 132-133
- Diplophos*
proximus 451, 454-456
- Diporiphora* 141
amphiboluroides 128, 132, 137, 142
bilineata 131-132, 139, 142
winneckeii 128, 132, 134, 136, 139, 142
- Dipsosaurus* 149
dorsalis 110, 118-121, 505-506, 650-658
- Discoglossus*
pictus 886
- Dolopichthys* 337
allector 35-36, 42-43, 45
pullatus 35
- Doratonotus*
decoris 7
- Dryadophis*
bifossatus 180
- Dunkerocampus*
caulleryi chapmani 10
- Edalorhina*
perezii 379
- Egernia*
depressa 128-129, 132, 135, 137, 139-140, 142
inornata 132-133
kintorei 132, 137, 142
margaretae 132, 135
slateri 132, 135
stokesi 135, 137, 140, 142
striata 128, 132, 136-137, 142
- Elacatinus*
oceanops 477
- Elachistocleis*
ovalis 897
- Elaphe*
carinata 260
climacophora 531
guttata 246-248, 250, 258-259, 262, 264, 529-531
obsoleta 246-247, 249-250, 258-260, 262, 264
obsoleta bairdi 260
obsoleta lindheimeri 260
obsoleta obsoleta 260
subocularis 257-259, 262-263
ulpina 246-250
vulpina vulpina 577-579
- Electrophorus*
electricus 191
- Eleutherodactylus*
discoidalis 379
guentheri 379
planirostris 379
portoricensis 163
- Elosia*
latiristrigata 379
- Emmelichthyops*
atlanticus 875
- Emys* 103, 105-106
blandingi 98, 100, 103
orbicularis 98, 100
- Encheliophis*
vermicularis 839, 843
- Enchelyurus* 66
- Enneacanthus*
gloriosus 878-879
- Ensatina*
eschscholtzi 525

- Entonanthias*
pascualis 600
Eohiodon 325
Epicrates
angulifer 180
Epinephelus
striatus 5
Equetus
acuminatus 8-9
lanceolatus 8-9
punctatus 8
Ericymba
buccata 812-815
Erythrinus
erythrinus 326
Erythrocles
monodi 875-877
schlegeli 876-877
scintillans 876-877
Esox 86, 805
lucius 860, 878
Etelis
oculatus 359, 361
Etheostoma
acuticeps 427-430, 441, 443, 445-446
bellum 427-431, 442-443, 445
blennioides 789
caeruleum 273, 443-444
camurum 427-439, 441-446
chlorobranchium 427, 429-443, 445-446
gracile 194
histrio 193-194
jordani 427-430, 442-445
juliae 443
maculatum 427, 430, 442, 444
maculatum maculatum 428-431, 443-445
maculatum sanguifluum 429-431, 443, 445
maculatum vulneratum 439-431, 441, 443, 445-446
microlepidum 427-431, 442-443, 445-446
moorei 427-430, 442, 445
nigrum 789, 878
pallidorsum 785
radiosum 193, 443-444, 789
radiosum cyanorum 443
rubrum 427-430, 442, 445
rufilelineatum 427, 429-431, 441, 445-446
spectabile 193, 857
spectabile × *Percina caprodes* 857
stigmaeum 789
tippecanoe 427-431, 441, 444
whipplei 443-444
zonale 789
Etiophis
maculatus 834-838
suratensis 834-838
Eublepharis 564, 566, 570
angamainyu 562, 564, 568
hardwicki 562, 564, 568
lichtenfelderi 562, 564, 568
macularius 562, 564, 566-568
orientalis 562, 566-568
Eudontomyzon
danfordi 471
vladykovi 471
Eumeces
skiltonianus 648
Eumeces
murinus 180
Eupomacentrus
fuscus 333-334
leucostictus 333-334
otophorus 333-334
partitus 333-334
planifrons 333-334
rocasensis 330-335
variabilis 330, 333-335
Eurycea
bislineata 586
longicauda 586, 665-667
lucifuga 665-668
multiplicata 486
Exostoma 341
Fundulus 302
catenatus 789
confluentus 289
diaphanus 878
grandis 592, 864
grandis × *Lucania parva* 863
heteroclitus 298-301, 592, 803
kansae 864
notatus 864
nolti 862-864
olivaceus 789, 864
parvipinnis 592-594, 864
similis 592
Galaxias
maculatus 368-370
platei 368-370
Galeichthys
jelis 790-791, 794, 796-801, 803, 805-807
Galeocerdo
arcticus 319
cuvieri 309-310, 312-313, 315-317, 319-324
Galeorhinus
australis 810
zyopterus 306, 313
Gambusia 851
affinis 790-793, 795-803
Gasterosteus
aculeatus 273, 276, 287, 852, 855
sp. 805
Gastrophryne
olivacea 896
ovale 896
Gehyra
variegata 131-132
Gekko
gecko 252-256
Geomyda 103
trijuga 100
Geotria 470
Gerrhonotus
coeruleus 648
multicarinatus 648
Gigantactis
exodon 42, 45
gracilicauda 42, 45
longicirra 41
macronema 29, 34-35, 41-42, 45
new sp. 42, 45
ovifer 42, 45
sextilis 42, 45
Gila
mohavensis 854

(siph)
orcu
orcu
robu
Gillich
miral
Gingly
cirra
Girard
Girard
gupp
Glypto
Glypto
Glypto
coher
nelso
saisii
striat
Gnatho
niger
Gobios
ocean
Gobius
aurat
minu
niger
pagan
Gonatoc
albog
fuscus
ocellat
Gonicht
tenuic
Goodea
sp. 74
Gopheru
agassiz
berlan
Gramma
melac
Gristes 5
peeli(i)
Gryptes
brisba
Grystes
brisba
macqu
salmoie
Gurgesiei
atlantic
furvesc
Gymnalla
new sp
Gymnarc
niloticu
Gymnopi
multipl
multipl
multipl
multipl
oligozon
proxima
Gyrinoph
porphy
Habrosaur
dilatatus
Haplophry
hudsoni

- (*siphateles*) *mohavensis* 849, 854
orcutti 849-859
orcutti × *Hesperoleucus symmetricus* 849-859
robusta 408
- Gillichthys*
mirabilis 278-290
- Ginglymostoma*
cirratum 307, 312, 315
- Girardinichthys* 732
- Girardinus*
guppyi 288
- Glyptosternon* 341
- Glyptosternum* 341
- Glyptothorax*
coheni 340-342
nelsoni 340-342
saisii 340, 344
striatum 340, 342
- Gnathonemus*
niger 328
- Gobiosoma*
oceanops 477-482
- Gobius*
auvatus 287
minutus 287
niger 287
paganellus 279, 287
- Gonatodes* 559-560, 562-563, 566, 568-569
albugularis 562-563
fuscus 256, 562-563, 570
ocellatus 562-565, 570
- Gonichthys*
temniculus 451
- Goodea* 728
sp. 740
- Gopherus* 104
agassizi 895
berlandieri 98, 101-102
- Gramma*
melacara 5
- Gristes* 54
peeli(i) 54, 62
- Gryptes* 54
brisbanii 54
- Grystes*
brisbanii(i) 54, 62
macquariensis 54, 62
salmoides 54
- Gurgesiella*
atlantica 359
furvescens 356-358
- Gymnallabes*
new sp. 198
- Gymnarchus*
niloticus 326, 328
- Gymnopsis* 680-681, 686-692, 694
multiplicata 680, 687-694
multiplicata multiplicata 689
multiplicata oaxacae 683
multiplicata proxima 689
oligozona 680, 687, 691
proxima 680, 688, 691
- Gyrinophilus*
porphyriticus 586
- Habrosaurus*
dilatus 630
- Haplophryne*
hudsonius 34
- Hazelia* 200
- Hemiemblemaria*
simulus 591
- Hemitheconyx* 566, 570
caudicinctus 562, 564, 566-568
taylori 562, 564, 566-568
- Herotilapia*
multispinosa 388
- Hesperoleucus*
symmetricus 849-859
symmetricus subditis 849-859
symmetricus × *Gila orcutti* 849-859
- Heterandria*
formosa 288
- Heterixalus* 201
- Heterodon*
nasicus 258, 260, 262, 264
platyrhinus 246-247, 249, 251, 262
- Heterodontus*
francisci 872
- Heteronotia*
binoei 131-132
- Heterotis*
niloticus 326-328
- Himantolophus* 25
groenlandicus 29, 31, 35-36, 45
- Hiodon*
alosoides 325-328, 882-883
chrysopsis 883
tergisus 325-328, 882-883
- Hippocampus*
zosteræ 289
- Histionotophorus*
bassanii 38
- Histrio*
histrio 31, 35, 38, 45
- Holbrookia* 493, 505
lacerata 504
maculata 504
propinqua 663
texana 504
- Holodactylus*
africanus 562-564, 566-570
- Holtbyrnia*
melanocephala 451
- Hybopsis*
gracilis 197
x-punctata 789
- Hydrophis*
ornatus 547-549, 551, 553-558
- Hygophum*
atratum 451, 455-456, 459
- Hyla* 242, 519
baumgardneri 266-267
bifurca 270
bokermanni 267
boulengeri 271
californiae 519-520
catherinae 271
chrysoscelis 378, 524
cinerea 377-378
circumdata 380
crucifer 380, 523, 613, 615-624
cruentomma 265-271
elaeochroa 267
funerea 266-267
garbei 270
gratiosa 523
hayi 380
lanciformis 270

- madeirae* 267
marmorata 380
nana 380
parkeri 265, 267, 271
parviceps 267, 270, 380
perpusilla 380
punctata 270, 380
raddiana 380
regilla 519-520, 581
rhodopepla 270
rondoniae 267, 270
rubra 265-267, 270-271, 380
sarayacuensis 270
triangulum 270
versicolor 377-378, 520, 523-524
Hylambates 201
Hynobius
tokyoensis 586
Hyodon 883
Hyentelium
nigricans 276, 789
Hyperolius 200-201
Hypopachus
pearsei 897
Hypophrion
brevirostris 601
Hypsoblennius 65
Hypsypops
rubicunda 831-832
Ichthyomyzon 470
castaneus 789
fossor 473, 475
gagei 471, 473, 475
greeleyi 471, 475
hubbsi 470-475
Ictalurus 791, 805, 819
catus 790
furcatus 791, 796, 807
lacustris 791
melas 790-791, 793-805, 807
natalis 790-791, 794-801, 803, 805, 807, 860
nebulosus 790-791, 794, 796-801, 803-805, 807, 878
punctatus 398, 790-791, 793-805, 807, 865
Ictiobus
bubalus 12-17
cyprinellus 12-16
cyprinellus \times *bubalus* 15-16
niger 12-17
Idiacanthus 458
Ilisha
indica 881-882
megalopectera 881-882
Ilyodon 729, 732
Inermia
vittata 875
Jordanicus
gracilis 839-842
Kachuga 103
tecta tecta 100
Karius
bicoloratus 367
Kassina 201
maculosa 200
obscura 200
Kinosternon 103, 105-106
abaxillare 97-98
bauri 97, 104
bauri bauri 97-98, 102
bauri palmarum 97-98, 100, 102
cruentatum 97, 102
cruentatum cruentatum 98, 100
flavescens 97, 102, 104
flavescens flavescens 98, 100
hirtipes 97-98, 102, 105
leucostomum 97-98, 102
scorpiodes 97, 99-100, 102
scorpiodes scorpiodes 98-99, 102
scorpiodes subsp. 98, 102
sonoriense 97-98, 100, 102, 105
subrubrum 97, 102, 105
subrubrum hippocrepis 97-98, 102
subrubrum steindachneri 97-98, 100, 102
subrubrum subrubrum 97-100, 102-103, 105
Labidesthes
sicculus 789, 878
Labroides
dimidiatus 823
phthirophagus 820-838
Lacerta
vivipara 253
Lactophrys
nasus 763
Laguvia 341
Lamna
nasus 312-313
Lampanyctus
idostigma 451, 454-456
omostigma 451
parvicauda 451-456
Lampetra
fluviatilis 471, 475
japonica 471
lethophaga 471
planeri 471, 473, 475
reissneri 471
tridentata 471
Lamprozelis
calligaster 246-247, 250, 258-259, 262-264
getulus 246-248, 250, 258-259, 262-264
mexicana 258-259, 262-264
Lasiognathus 18
Laticauda
colubrina 547-550, 553-555, 557-558
semifasciata 547-550, 557-558
Lebistes 737
Leiognathus
moretonensis 464
Lejosophis
gigas 180
Lepidobatrachus
asper 379
llanensis 379
Lepidoblepharis 559-560, 562-563, 568-569
barbouri 562
sanctaemartae 562, 564-565
xanthostigmata 562
Lepidophanes
pyrsobolus 451, 456
Lepisosteus 805
platostomus 860
platyrhincus 326
productus 363

Lepomis
cyaneus
gibbosus
maculatus
microlophus
microlophus
microlophus
spp.
Lepomis
cervinus
Lepomis
affinis
fasciatus
Leptacanthus
Leptodus
albilineatus
chaquensis
insubricus
labialis
marmoratus
ocellatus
prognathus
quadrimaculatus
Leptodus
maculatus
Leptodus
Lerista
deserti
frosti
Lermichia
Leurogobius
stilbiceps
Lialis
burtoni
Limanda
limanda
yokohamae
Limnodon
Linophrynus
maculatus
Lithodytes
lineatus
Litoria
ewingi
Lophiostoma
caulinum
Lophius
brachycephalus
budegus
piscator
Lophodactylus
acanthopterus
Loxamia
fasciatus
Lucania
parva
parva
Lucayablennius
zingaro
Lutjanus
gibbus
Lygodactylus
Lygosoma
laterale
Mabuya
quinque

- Lepomis*
cyaneus 789
cyaneus × *microlophus* 273, 277
gibbosus 272, 878
macrochirus 273, 277, 789, 878
megalotis 273–277, 789
megalotis megalotis 272
megalotis peliastes 272–277
microlophus 273, 277
 spp. 805
Lepophidium
cervinum 597–598
Leporinus
affinis 10
fasciatus 7
Leptacanthichthys 337–338
Leptodactylus
albilabris 163, 167
chaquensis 379
insularum 379
labialis 379
marmoratus 379
ocellatus 379
prognathus 379
quadrivittatus 379
Leptodeira
maculata 246–249, 251
Leptopelis 201
Lerista
desertorum 132
frosti 132, 136
Lermichthys 732
Leuroglossus
stilbius 451–453, 456–458
Lialis
burtoni 131–132
Limanda
limanda 367
yokohamae 367
Limnodynastes 625
Linophryne 24
macrorhinus 34
Lithodytes
lineatus 379
Litoria
ewingi 167
Lophiomus
caulinaris 31, 35, 38, 44
Lophius 81
brachysomus 38
budegassa 38
piscatorius 29, 31, 35
Lophodolos 337
acanthognathus 35, 45
Lovamia
fasciata 464
Lucania
parva 864
parva × *Fundulus grandis* 864
Lucayablennius
zingaro 590–591
Lutjanus
gibbus 599–600
Lygodactylus 569
Lygosoma
laterale 118
Mabuya
quinquetaeniatus 119
Maccullochella
macquariensis 53–63
macquariensis mitchelli 54
mitchelli 54, 61
peeli 53–63
Macquaria
australasica 58
Macroclmys 97, 99, 105–106
temmincki 97–100
Macrorhamphosus
gracilis 423
Malaclemys
terrapin terrapin 389
Malayemys 102–103
subtrijuga 98, 101
Malpolon
monspeulanus 246–247, 249, 251
Mantidactylus 199–200
Masticophis
flagellum 258–259, 262, 264
taeniatus 258–259, 262, 264
taeniatus taeniatus 892–895
Megalops
atlantica 326
Melamphaes
acanthomus 451
laeviceps 451
macrocephalus 451
spinifer 451
Melanocetus
johnsoni 25, 29, 35–36, 38, 42, 45
murrayi 34, 38
Merluccius
angustimanus 451
bilinearis 301
Microcaecilia 693–694
Microlophichthys 337
microlophus 45
Micropterus 805, 861, 878
dolomieu 789
punctulatus 789
salmoides 54, 805–806
Minytrema
melanops 789, 860
Misgurnus 81
Mixophyes
fasciolatus 379
Mola
mola 187
Mollienesis
latipinna 835
Moloch
horridus 128, 132, 137
Monacanthus
oblongus atisensis 464
Monopterus
albus 287
Mordacia
mordax 471, 473, 475
praecox 471
Morelia
spilotes 578
Mormyrops
deliciosus 326, 328
Morone
americana 878
Moxostoma 15
duquesnei 789
 spp. 276

- Mulloidichthys*
samoensis 826-828
Mustelus
canis 322, 808-811
Myctophum
affine 451

Naja
naja 246-247, 249-251, 558
Naso
brevirostris 826-827
unicornis 827
Natrix 162
erythrogaster 246-247, 250, 258, 260, 262, 264, 806
fasciata 246-248, 250, 374-376
fasciata fasciata 374-376
harteri 258, 260, 262-264
rhombifera 222, 246-247, 250, 258-260, 262, 264, 806
sipidon 246-248, 250, 374
sipidon pictiventris 376
taxispilota 180
Naucratus
ductor 10
Necturus
beyeri 586
maculosus 586, 665, 667
Negaprion
brevirostris 306, 308-317, 320-324, 601, 809
Nematistius
pectoralis 8
Nemichthys
scolopaceus 451, 454-456, 458
Neobatrachus 625
Neoceratias
spinifer 29, 38-39, 46
Neoheterandria
umbratilis 388
Nephurus 141, 569
asper 131-132
laevissimus 128, 132, 134, 136, 139, 142
levis 128, 132-134, 137, 139, 142
vertebralis 128, 132, 134-135, 137, 139, 142
wheeleri 132, 137
Neusticus
ecpleopus 886-888
strangulatus trachodus 886-888
Nezumia
aequalis 395
Noemacheilus
barbatula 7
Notemigonus
auratus 883
crysoleucas 185, 878, 883
Nothonotus 427-446
camurus 433
Notophthalmus
meridionalis 586
perstriatus 586
viridescens 528, 586, 665, 667, 889
(Triturus) viridescens 296
viridescens viridescens 525-528
Notopterus
blanci 328
borneensis 328
chitala 326-328
notopterus 326-328

Notropis
boops 789
chrysocephalus 789
cornutus 276
rubellus 789
umbratilis 789
whipplei 789
Noturus 791, 805
albater 785, 788, 790-791, 794, 796-801, 803, 805, 807
baileyi 785
elegans 785, 787, 789
eleutherus 785, 787, 789
exilis 790-791, 794, 796-802, 804-807
flavater 785
flavipinnis 785
flavus 790-791, 794, 796-801, 803-807
furius 785, 787
gyrinus 790-791, 794, 796-801, 803-805, 807
hildebrandi 785-787
leptacanthus 790-791, 794-801, 803, 805, 807
miurus 785, 787, 789, 804
mollis 804
munitus 785
nocturnus 789-791, 794-801, 803, 807
placidus 785, 790-791, 794, 796-801, 803, 807
stigmus 785
taylori 785-789
(Rabida) taylori 785
trautmani 785

Odontaspis
taurus 594
Odontophrynus
americanus 379
occidentalis 379
Oedura
marmorata 132, 137
Oligocephalus 443-444
Oligorus 54
macquariensis 54
mitchelli 54, 62
Omobranchus
heyligersi 66
Onolepida
melanops 132
petersi 132, 135
Oncorhynchus
gorbuscha 369, 857
gorbuscha \times *keta* 857
keta 857
nerka 867
Oneirodes 42, 337
acanthias 35-36, 41-43, 45
carlsbergi 36, 45
luetkeni 36, 45
new sp. 42-43, 45
Oneirodidae
new genus 35-36, 43, 45
Onuxodon
margaritiferae 839-843
parvibranchium 839-843
Onychodactylus
japonicus 586
Oostethus
lineatus 783
Ophidiocephalus
laeniatus 132, 135

Opisth
berla
bulle
capiti
liber
medi
oglin
Opistho
Opistog
gilber
lonch
megai
melac
Oryzias
Oscacici
ochro
Osteogla
bicirr
Ostracia
argus
aurica
camur
chryse
clippe
cubicu
cyanur
imma
lentic
melea
melea
melea
nasus
oahue
oahue
ornata
ornatu
puncta
renard
sebae
solorer
tetrage
tuberc
whitle

Pantodon
buchh
Papyroc
aser 32
Paralich
olivace
Parmatur
xaniur
Paroneiro
wedli 3
Parupene
multifa
porphy
Parvicaec
Pelamis
platuru
Pelobates
pelobat
Peltorhan
latus 34
novaeze
novae-z
novaeze
novae z
novae-z

- Opisthonema*
berlangai 1, 3
bulleri 1, 3
captivai 1-3
libertate 1, 3
medirastre 1, 3
oglinum 1-3
Opisthothylax 201
Opistognathus
gilberti 52
lonchurus 48
megalepis 48-50
melachasma 48, 50-53
Oryzias 302
Osaecilia 680, 691
ochrocephala 691-692
Osteoglossum
bicirrhosum 327
Ostracion
argus 763
auricauda 762
camurum 756-757, 763, 766-767
chryseres 762
clippertonense 767
cubicus 756-757, 759, 761-763
cyanurus 763
immaculatus 763
lentiginosus 756-757, 765, 767
meleagris 763, 765-767
meleagris camurum 756-757, 759, 763, 765-767
meleagris meleagris 756, 765-767
nasus 763
oahuense 757
oahuensis 757, 767
ornata 759
ornatus 756-757, 759-760
punctatus 765
renardi 760, 763
sebae 757, 765
solorensis 757, 760
tetragonus 762
tuberculatus 762-763
whitleyi 756-761, 767

Pantodon
buchholzi 326, 328
Pappyrocranus
afar 327-328
Paralichthys
olivaceus 367
Parmaturus
xanurus 451
Paroneiroides 18-19
wedli 31
Parupeneus
multifasciatus 826-828
porphyreus 826-828
Parvicaecilia 693-694
Pelamis
platurus 547-550, 552-555, 557-558
Pelobates
pelobates 886
Peltorhamphus
latus 345-355
novaezealandiae 345, 352
novae-zealandiae 345, 352
novaezealandiae 345-355
novae zealandiae 345, 352
novae-zealandiae 345, 352

novae zealandiae 345, 352
temnis 345-355
Pelusios 101
castaneus 99
sinuatus 99
Peprilus
alepidotus 873-874
Perca
flavescens 878
fluviatilis 58
Percina
caprodes 857
caprodes × *Etheostoma spectabile* 857
copelandi 789
phoxocephala 194
sciera 193-194
Percopsis 812
Petromyzon 470
marinus 473
Petroscirtes
heyligeri 64, 66, 70
heyligersi 66
Petroskirtes
Heyligeri 66
Phenablennius 64
heyligeri 66-71
Philautus 200
Philodryas
patagoniensis 180
Philyctimantis 201
Pholidobolus
montium 886, 888
Phrynohyas
venulosa 380
Phrynosoma 578
coronatum 648
cornutum 118
platyrhinos 505-506
solare 505
Phyllomedusa
hypochondrialis 380
tarsius 380
Phyllorhinichthys
micractis 335-340
Phyllorhynchus
decurtatus 258-259, 262, 264
Phyllurus
milii 132-133
Physalaemus
maculiventris 379
pistulosus 379
Physignathus
longirostris 128, 132, 136
Pimelometopon
pulchrum 872
Pimephales
notatus 789, 878
Pituophis
affinis 180
melanoleucus 246-248, 250, 258-260, 262, 264, 577-579
melanoleucus affinis 705-706
melanoleucus catenifer 702-706
melanoleucus sayi 577-579
sayi 180
Plagiotremus 65
Platycephalus
endrachtensis 468
indicus 468

- Platysternon* 97, 102-103, 106
megacephalum pequense 98-100
Plectroplites
ambiguus 58
Plethodon
cinereus 163, 490, 539-540
glutinosus 586, 640, 665-667
jordani 640
neomexicanus 486-491
Pleurodeles
waltlii 525
Pleurodema
bibroni 379
borelli 379
darwini 379
Pleuronectes
platessa 365-367
Podocnemis
unifilis 101
Poecilia 736
formosa 292-297
latipinna 292-293, 295, 804
latipunctata 292-293, 295
mexicana 292-293, 295
olivacea 864
reticulata 288
sphenops 292
Poecilichthys
camurus 433
vulneratus 431
Poeciliopsis
sp. 388
Pogonymus
shango 464
Pollachius
pollachius 395
Polycentrus
schomburgkii 7
Polyodon
spathula 326
Polypedates 200
Polypterus
ornatipinnis 326
palmas 362-365
Pomacanthus
imperator 763
Pomacentrus
jenkinsi 826-828, 831
Pomoxis
nigromaculatus 878
Porichthys
notatus 423
Poromitra
crassiceps 451
Prionace
glauca 313, 318, 320
Pristipomoides
aquilonaris 360-361
freemani 359-360
macrophthalmus 360-361
Proteus
anguineus 587
Protopterus 625
Psammophis
schokari 246-247, 249-251
Pseudacris
clarkii 380
ornata 522
streckeri 380, 519-524
triseriata 380, 523
Pseudecheneis 341
Pseudemys 103, 105
concinna 546
floridana 219, 221
scripta 219, 541-546
scripta elegans 98, 101-102
Pseudobranchius
striatus 586-587
Pseudogonatodes
barbouri 559-560, 562-565, 568-569
Pseudoraja
atlantica 356-359
fisheri 356-358
Pseudotriton
montanus 586
ruber 586
Pternohyla
jodiens 380
Pterogobius
elapoides 288
Pungitius
(Pygosteus) pungitius 273, 277
Pygopus
nigriceps 128, 132, 134, 137
Pyloodictis
olivaris 398, 790-791, 794, 796-801, 803-805, 807
Python
bivittatus 180
curtus 180
molurus 180, 247, 249
reticulatus 180
Rabida 785
Raja
badia 73
clavata 367
(Dipturus) pullopunctata 356
radiata 815
(Leucoraja) wallacei 358
Rana 245, 524
adspersa 669
catesbeiana 125, 172, 363-364, 390-391, 574, 617, 889
clamitans 125, 157, 169, 172-174, 391, 613, 615-624, 640, 678
esculenta 886
palmipes 383-385
pipiens 123-126, 157, 232-240, 242-244, 383-385, 617, 678
pipiens ("plains type") 233-240
pipiens berlandieri 233-240
pipiens pipiens 233, 240, 390
pipiens sphenocephala 233
pretiosa 669, 678
septentrionalis 169-175, 390-391
sphenocephala 363-364
sylvatica 125
temporaria 669
vibicaria 383-385
virgatipes 172, 182
warschewitschi 383-385
Regina
septemvittata 246-248, 250
Rhacophorus 200
Rhamdia
sp. 388

Rhinoceros
typus
Rhine
Rhinoceros
typus
Rhinoceros
typus
Rhinoceros
dors
Rhizopoda
terra
Rhombus
auro
Rhombus
mae
Rhynch
lepto
Rhynch
leuch
long
Rhynch
orna
Rhynch
ambi
Rhynch
ambi
Rhyncho
Roebo
sp. 36
Runula
azale
Ruwet
pretia
Salama
salam
Salmo
aguat
apach
chryse
clarki
8
clarki
clarki
clarki
gaird
42
gilae
mykis
mykis
ohrid
pleuri
purpu
roosev
salar
sp. 403
trutta
whitei
Salvador
grahan
lineata
Salvelin
fontin
fontin
Saurida
elonga

- Rhincodon*
typicus 362
typus 362
- Rhineodon*
typicus 362
typus 362
- Rhiniodon*
typus 362
- Rhinodon*
typicus 362
typus 362
- Rhinophrynus*
dorsalis 379
- Rhizoprionodon*
terraenovae 310-311, 314
- Rhomboplites*
aurorubens 361
- Rhombus*
maoticus 367
- Rhynchactis*
leptonema 42, 45
- Rhynchoceratias* 19
leuchorhinus 17, 19
longipinna(is) 34, 38
- Rhynchoedura*
ornata 132-134
- Rhynchonyx*
ambiniger 588-590
ambiniger vittatus 588, 590
- Rhynchostracion* 763
- Roeboides*
sp. 388
- Runula*
azalea 831
- Ruvettus*
pretiosus 78-87
- Salamandra*
salamandra 525
- Salmo*
aguabonita 401, 410, 412, 414, 416-418, 420
apache 401-421
chrysogaster 401, 410, 415-420
clarki 197, 401-403, 405-407, 410, 414-418, 420, 805
clarki lewisi 415
clarki pleuriticus 415, 418
clarki subsp. 414
gairdneri 123, 326, 401-402, 408, 410, 413-417, 420, 861, 865-868
gilae 401-403, 409-412, 416-420
mykiss 415
mykiss pleuriticus 403
ohridanus 410
pleuriticus 401-402
purpuratus 418
roosevelti 414
salar 273, 276, 369, 410, 417, 866
sp. 403, 417
trutta 410, 417, 860, 878
whitei 414
- Salvadora*
grahamiae 258-259, 262-264
lineata 258-259, 262-264
- Salvelinus*
fontinalis 124, 287, 860
fontinalis \times *namaycush* 123, 125-126
- Saurida*
elongata 468
tumbil 468
undosquamis 468
- Sauromalus*
obesus 145-150, 650, 656-658
- Scaphiopus* 242-245, 625
bombifrons 378
couchii(i) 209-216, 240-241, 243
hammondi 240-241, 243, 378
holbrookii 377-378
- Scaphirhynchus*
platorynchus 363
- Scarus*
spp. 826-828, 831
- Sceloporus*
graciosus 648
jarrovi 227-232, 662
jarrovi jarrovi 227-232
magister 505-506
occidentalis 117, 643-648
occidentalis occidentalis 149, 647
occidentalis taylori 647
orcutti 117
undulatus tristichus 662
virgatus 660-663
- Schilbeodes* 790
- Sclerophages*
leichardti 327
- Scomber*
scomber 288
- Scopelogadus*
mizolepis bispinosus 451, 454-455
- Scopelarchus*
nicholsi 451, 454-456
- Scopelengys*
tristis 451, 456
- Scopeloberyx*
robustus 451
- Scorpaena*
notata afimbria 469
porcus 469
- Scyliorhinus* 86
canicula 314
- Scymnodon*
plunketi 306
- Sebastes* 195-196
babcocki 426
caenaeomaticus 426
chlorostictus 423
diploproa 423
ensifer 423, 426
exsul 426
goodei 423
helvomaculatus 426
hopkinsi 423
jordani 423
lentiginosus 426
miniatus 423
notius 426
ovalis 423
paucispinis 423
phillipsi 426
reedi 426
rhodochloris 426
rosenblatti 426
rufinamus 423-426
rufus 426
serranoides 423
simulator 426
umbrosus 196
variegatus 426

- Sebastodes* 196
paucispinis 287
Sebastomus 196
Semotilus
atromaculatus 789
Seriola 10
Serrasalmus
hollandi 192
Serrivomer
sector 451
Sillago
maculata 464
Siphamia
fuscilineata 595-596
Siphonops
mexicanus 684
parviceps 685
simus 689
syntremus 691
Siren
intermedia 625-629
intermedia nettingi 625
intermedia texana 625
lacertina 586
Sistrurus
catenatus 258, 262-264
Skiffia 729, 732
Smilisca
baudini 380
Solea
solea 367
Sphaerodactylus 559-560, 562-563, 568-570
argus 562
copei cataplexis 562, 564-565
lineatus 256
Spalerosophis
cliffordi 180
diadema 246-247, 249-250
Sphenomorphus 141
fasciolatus 132, 139, 142
richardsoni 128, 132, 137, 139-140, 142
Sphyrna
mokarran 309-310
Spiniphryne 17-18, 337
gladisfenae 18
Squalus
acanthias 314, 810
Starksia
posthon 599
Staurotypus 97, 102, 105-106
salvini 97-99, 102
triporatus 97-99, 102
Sternotherus 97, 102, 105-106
carinatus 98, 102
minor 392
minor minor 98-99
minor peltifer 98
odoratus 98-100, 102, 104-106, 219, 221
Stizostedion 805
vitreum 860
Stomias
atriventer 451, 454-456, 458
Storeria
dekayi 258, 260, 262-264
Suggrundus
jugosus 469
Synchiropus
altivelis 464
Syngnathus
elucens 844-847
floridae 781
floridae floridae 844-845, 847
floridae nesiotus 782
fuscus 783
fuscus affinis 783
fuscus fuscus 783
louisianae 783, 844-847
pelagicus 844-848
scovelli 781, 783-784
scovelli makaxi 781-784
scovelli scovelli 782-783
springeri 844-847
Synodus 468
foetens 326
Syrrhophus
marnocki 379
Taeniomembras
sp. 776
Takydromus
tachydromoides 230
Tandanus
tandanus 60
Tarentola
mauritanica 256
Taricha 668
granulosa 586, 632, 639-641
rivularis 157, 528, 632, 639-641
torosa 664
Telmatobius
schreiteri 379
Terrapene 103-105
carolina 219
carolina carolina 98-99, 101-102
Testudo 97
hermanni 101, 103
Thalassoma
bifasciatum 591
duperryi 826-830
Thamnophis
couchi 258, 260, 262, 264
cyrtopsis 258, 260, 262, 264
elegans 258, 260, 262, 264
marcianus 258, 260, 262-264
proximus 258, 260, 262-264
radix 246-248, 250, 258, 260, 262-264, 577-579
rufipunctatus 258, 260, 262-264
sirtalis 158, 246-247, 250, 258, 260, 262, 264
Thaumatichthys 18
Theloderma 200
Thunnus
albacares 884
Thymallus
arcticus 197
Thysritoides 85
Tilapia
new sp. 198
nigra 287
Tiliqua
multifasciata 131-133
occipitalis 132-133
rugosus(a) 132-133
Trachurus
symmetricus 423
Trematorhynchus
leuchorhinus 17
Trichiurus
nitens 451

Trimaculus
biscus
Trion
fero
spin
Triph
mex
Tripr
spat
Tropi
sp. 1
Tylo
verr
Tymp
ceph
intin
linea
linea
parv
Typhl
subte
Typhlo
spela
Uma 45
inorn
notat
notat
notat
scopa
Umbr
limi 1
Uraeoty
Uromas
hardu
Urophys
chuss
regius
Urosaur
gracio
ornatu
Uta
stansb
64
Varanus
acanth
bengal
brevica
caudol
eremiu

- Trimorphodon*
biscutatus 246-247, 249-251
- Trionyx*
ferox 99, 101, 103
spiniferus emoryi 101
- Triphoturus*
mexicanus 448, 451-453, 455-459
- Tripurion*
spatulata 380
- Tropidurus*
sp. 118
- Tylotriton*
verrucosus 586
- Tympanocryptis*
cephala 132, 137
intima 132
lineata 132, 137
lineata lineata 119
parviceps 132
- Typhlichthys*
subterraneus 879-881
- Typhlotriton*
spelaicus 665-667
- Uma* 493, 505
inornata 504
notata 109-121, 504
notata inornata 112, 114-115, 120
notata notata 109-110, 112, 114-115, 117, 120
scoparia 110, 120-121, 504-506, 650-658
- Umbra*
limi 192
- Uraeotyphlus* 691
- Uromastix*
hardwickei 249
- Urophycis*
chuss 188, 190
regius 188-190
- Urosaurus*
graciosus 505-506
ornatus 506
- Uta*
stansburiana 112, 117, 230, 502, 505-506, 517,
643-648, 662
- Varanus* 141
acanthurus 118, 131-133
bengalensis 249
brevicauda 131-132, 139
caudolineatus 128, 132, 137, 142
eremius 128, 132, 137, 142
- giganteus* 132, 134
gilleni 132
gouldi 131-132
niloticus 119
tristis 131-132
- Vinciguerrria*
lucetia 448, 451-453, 455-456, 458
- Vipera*
aspis 222, 224
berus 222
- Xantusia*
vigilis 230
- Xenochrophis*
piscator 176-177
- Xenodon*
merremii 180
- Xenomystus*
nigri 327-328
- Xenophorus* 732, 737, 739
- captivus* 731, 737, 743, 747, 753
- Xenopus*
laevis 584-585, 669-670, 885-886
- Xenotaenia* 732
- Xenotoca* 729-730, 732, 737
eiseni 728-729, 731, 734, 736-739, 742-749, 753-
755
eiseni × *melanosoma* 748, 753, 755
melanosoma 728-729, 731, 734, 736-738, 743-
744, 746-755
variata 728, 731, 734, 737-739, 741-744, 747,
749, 753-755
- Xiphasia*
matsubarae 65
setifer 65
- Xiphias* 86
gladius 361
- Xiphophorus* 737
maculatus 835
- Zanclus*
canescens 826-828
- Zebrasoma*
flavescens 827, 829-830
spp. 826, 828
veliferum 829-830
- Zoogoneticus* 732, 739
- Zygionectes*
notatus 862-864
olivaceus 862-864

SUBJECT INDEX

- ABUNDANCE, *Callisaurus draconoides* 502
- ACTIVITY (see BEHAVIOR)
- ADAPTATION, significance of angle of fish eye-lines in various fish species related to behavior and habitat of species 4-11.
- AESTIVATION (see BEHAVIOR)
- AGE AND GROWTH, *Anolis acutus* 514-517; *Anolis carolinensis* 575-577; *Callionymus belcheri* 468; *Callisaurus draconoides* 498-499; *Crotalus horridus atricaudatus* 222-226; *Ichthyomyzon hubbsi* 472-475; *Mustelus canis* 808-811.
- postmetamorphic growth, *Rana septentrionalis* 169-175.
- ANATOMY
- body fat weight, *Anolis* spp. (mostly *A. acutus*) 512-514, 516-517.
- brain, *Pseudemys scripta* 541-546; *Carassius auratus* (response to touch) 816-819.
- cephalic glands, *Laticauda colubrina*, *Hydrophis ornatus*, *Pelamis platurus* 547-559.
- cephalic lateral-line system, *Erycymba buccata* 812-816.
- epidermal glands, *Gonatodes*, *Lepidoblepharis*, *Sphaerodactylus*, *Coleodactylus*, *Pseudogonatodes* 559-571.
- esca, *Centrophryne spinulosa* 20-21.
- gills, *Brevoortia tyrannus* (parasite damage) 370-373.
- gonads, *Centrophrynidae* (*Centrophryne spinulosa*) 21-24.
- gut, in five primitive fish families (Notopteridae, Osteoglossidae, Pantodontidae, Mormyridae, Gymnarchidae) 325-328.
- internal, *Apristurus kampae* 76.
- skeleton (appendicular, postaxial), relationship to jumping ability in *Bufo*, *Hyla*, *Rana* 613-624.
- parietal eye, *Callisaurus draconoides* 695-701.
- scales snake, *Pituophis melanoleucas* 702-707.
- integumentary sheath (associated with spine) ictalurid catfishes 790-806.
- teeth, salamanders 586-588; *Apristurus kampae* 75; *Mustelus canis* (replacement in) 808-811.
- testes, *Gillichthys mirabilis* 280-288.
- ASSOCIATES (see ECOLOGY)
- BEHAVIOR, *Centrolophus niger* 185-187; *Hyla cruentomma* 270-271.
- activity, *Uta stansburiana*, *Sceloporus occidens* 643-649; *Callisaurus draconoides* 698-699.
- aestivation, *Siren intermedia* 625-631.
- basking, *Bufo debilis* 574.
- breeding, *Lepomis megalotis peltastes* 272-277.
- cleaning symbiosis, *Labroides phthirophagus* 820-833; cichlid fishes 834-838.
- courtship, *Characodon lateralis*, *Xenotoca* (3 spp.) 728-756; *Chrysemys concinna suwanensis* (courtship display) 385-387; *Sceloporus virgatus* (courtship and threat display) 661-663.
- feeding, *Lepomis megalotis peltastes* 272-277.
- homing, *Desmognathus fuscus* (role of olfaction) 635-641; *Notophthalmus viridescens* 528.
- lure, *Lucayablennius zingaro* 591.
- maintenance and fish-eating, *Basiliscus (basiliscus, vittatus)* 387-388.
- parental care, cichlid fishes 834-838; *Desmognathus ochrophaeus* 532-540.
- rattling as related to temperature, *Crotalus (atrox, horridus, scutulatus)* 482-485.
- tactile responses, *Carassius auratus* 816-819.
- thermoregulation (relation to), *Sauromalus obesus* 145-150.
- BIOCHEMISTRY (see PHYSIOLOGY)
- BLOOD
- flow, *Crotalus atrox* 485.
- glucose levels, in *Ambystoma annulatum* 664-668.
- hemoglobins, comparison between larval and transformed *Ambystoma tigrinum* 889-892.
- BRAIN (see ANATOMY)
- BREEDING (see REPRODUCTION)
- BUOYANCY (see HYDRODYNAMIC EQUILIBRIUM)
- CALLS, *Chiasmocleis panamensis* 897-898; *Hyla (baumgardneri cruentomma, rubra)* 267, 269-270.
- breeding choruses, *Rana septentrionalis* 173-175.
- specificity in *Rana (palmipes, pipiens, warschewitschi, vibicaria)* 383-385.
- spectrograms, *Hyla cruentomma* 270.
- mating and release calls (oscillograms and sonagrams), *Bufo boreas* 580-581.
- neurological mechanisms in *Scaphiopus* (two spp.), *Bufo* (three spp.) 240-245.
- CHROMOSOMES (see KARYOLOGY)
- CLASSIFICATION (see RELATIONSHIPS)
- CLEANING SYMBIOSIS (see BEHAVIOR)
- COLOR (see PIGMENTATION)
- COURTSHIP (see BEHAVIOR)
- CYTOLOGY (see PHYSIOLOGY)
- DEFENSE (see ECOLOGY)
- DESCRIPTIONS (not including new species), *Centrophryne spinulosa* 21-24; *Etheostoma* (subgenus *Nothonotus*) 428; *Etheostoma camurum* 430; *Maccullochella (macquariensis, peeli)* 56-58; *Plethorhamphus novaezeelandiae* 346-347; *Phenablennius heyleri* 68-70.
- DISTRIBUTION, *Carcharhinus leucas* (in Amazon River) 601-605; *Centrophrynidae* (*Centrophryne spinulosa*) 25-26; *Characodon lateralis*, *Xenotoca* (three spp.) 728-756; *Chiasmocleis panamensis* 896-898; *Crotaphytus* (two spp.) 707-729; *Dermophis* (three spp.) 680-695; *Etelis oculatus* 359-361; *Erythrocles* (three spp.) 877; *Enneacanthus gloriosus* 878-879; *Etheostoma (camurum, chlorobranchium)* 431, 433-441; *Gurgesiella* (two spp.) 359; *Gymnopsis multiplicata* 680-695; *Hyla cruentomma* 267-269; *Maccullochella (macquariensis, peeli)* 60-61; *Noturus taylori* 789; *Opisthognathus (megalepis, melachasma)* 48, 50; *Opisthionema captivai* 3; *Ostracion* (three spp.) (around Hawaii) 756-767; *Plethorhamphus* (three spp.) 346, 353-355; *Plethodon neomexicanus* 487-488; *Pristipomoides*

- (three spp.) 359-361; *Pseudoraja fisheri* 359; *Salmo* (*aguabonita*, *apache*, *clarki*, *gilae*, sp.) 402; *Sceloporus occidentalis* 643-649; *Typhlichthys subterraneus* 879-881; *Uta stansburiana* 643-649.
- bathymetric (in eastern Pacific), *Cyclothone* (*acclinidens*, *signata*) 88-96.
- ecological distribution, caccilians 693.
- DISTRIBUTION MAPS, *Amphibolurus* (*clayi*, *cristatus*, *fordi*, *scutulatus*) 134-135; *Bathophilus filifer* 454; *Bregmaceros bathymaster* 454; *Centrophryne spinulosa* 25; *Ctenotus* (*brooksi aranda*, *brooksi brooksi*, *brooksi euclae*, *brooksi taeniata*, *calurus*, *grandis*, *quattuordecimlineatus*, *helenae*, *leae*, *leonhardtii*) 134-136; *Crotaphytus* (*collaris*, *insularis*) 709, 722; *Cryptosophs simus* 686; *Dermophis* (*mexicanus*, *oaxacae*, *parviceps*) 682, 684-685, 690; *Diplodactylus* (*elderi*, *pulcher*, *strophurus*) 135-136; *Diplophos proximus* 454; *Diporiphora winneckeii* 134; *Egernia* (*depressa*, *stokesi*, *striata*) 135-136; *Etheostoma* (*camurum*, *chlorobranchium*) 433; *Gurgesiella* (*atlantica*, *furvescens*) 359; *Gymnopsis* (three spp.) 688-690; *Lampanyctus idostigma* 454; *Maccullochella* (*macquariensis*, *peeli*) 60; *Nemichthys scolopaceus* 454; *Nephrurus* (*laevissimus*, *levis*, *verticalis*) 133, 135; *Noturus taylori* 785; *Peltorhamphus* (*latus*, *novaezeelandiae*, *tennis*) 346; *Pseudoraja fisheri* 359; *Phyllurus milii* 133; *Rhynchoedura ornata* 133; *Salmo* (*aguabonita*, *apache*, *clarki*, *gilae*, sp. [Redband trout]) 402; *Scopelarchus nicholsi* 454; *Scopelogadus mizolepis bispinosus* 454; *Stomias atriventer* 454; *Tiliqua* (*multifasciata*, *occipitalis*) 133; *Varanus acanthurus* 133.
- DNA (see KARYOLOGY)
- ECOLOGY, Australian desert lizards (23 genera, 94 species) 127-143; *Cemophora coccinea* 582-584; *Etelis oculatus* 361; *Etheostoma chlorobranchium* 441; *Eupomacentrus rocasensis* 334; *Hyla cruentomima* 270-271; *Pristipomoides aquilonaris* 361; *Salmo apache* 407-408.
- activity, *Plethodon neomexicanus* 488-489; *Cemophora coccinea* 582-584; burrowing *Scaphiopus couchii* 213-214.
- estivational cocoons, *Siren intermedia* 625-631.
- associates, of *Callionymus belcheri* 464; of *Noturus taylori* 789; *Labroides phthirophagus* (host of) 826-830.
- associated plants of *Plethodon neomexicanus* 487.
- commensal relationships, *Carapus homei* (with *Tridacna* sp.) 872-873; *Siphania fuscolineata* (with *Acanthaster* starfish) 595-596.
- defense (against predation), ictalurid catfishes 805-806.
- ecological distribution, caccilians 693.
- ecological interaction, *Rana pipiens* (two forms) 232-240.
- ectoparasite picking, *Labroides phthirophagus* 828.
- habitat, *Callisaurus draconoides* 497; *Cemophora coccinea* 582-583; *Cyprinodon milleri* 774-779; *Cookeolus boops* 884-885; *Etheostoma camurum* 431; *Etheostoma chlorobranchium* 441; *Etheostoma histrio* 193-194; *Masticophis taeniatus* 893; *Noturus taylori* 789; pearlfishes (Carapidae) 841; *Plethodon neomexicanus* (temperature, moisture, slope, exposure, substrate, litter) 487-488; *Sceloporus occidentalis* 643-649; *Syngnathus* (five spp.), *Amphelikurtus dendriticus* 847-848; *Uta stansburiana* 493-507.
- hibernation, *Rana pipiens* 125-126; *Malaclemys terrapin terrapin* (on sand beach) 389.
- home range, *Desmognathus fuscus* 635.
- hosts, of pearlfishes (Carapidae) 840; of *Carapus homei* 872-873; of *Caranx* (*kalla*, *malabaricus*) 873-874.
- intraspecific intrusions into nests, *Lepomis megalotis pellastus* 272-277.
- life cycle, *Ichthyomyzon hubbsi* 470-476.
- predation, on *Callionymus belcheri* 468; on *Callisaurus draconoides* 505; on *Cephaloscyllium ventriosum* egg cases 872; on *Rana pipiens* (by trout) 124, 126.
- reproductive cycling, *Gillichthys mirabilis* 278-290.
- salinity relationships, *Fundulus parvipinnis* 592-594.
- symbiosis, *Labroides phthirophagus* (cleaner fish) 820-833; cichlid fishes 834-838; *Caranx* (*kalla*, *malabaricus*) 873-874.
- winter habits (under ice), *Rana pipiens* 123-126.
- EGGS, amphibian (dehydration and water uptake) 163-168; *Urophycis regius* 188-190; *Crinia* spp. (terrestrial) 163-168.
- artificial insemination of eggs, *Brachydanio rerio* 302-305.
- clutches (observations on), *Desmognathus ochrophaeus* 534-540.
- clutch size, *Lucayablennius zingaro* 591.
- hatching time, *Desmognathus ochrophaeus* 532-540.
- mortality, *Desmognathus ochrophaeus*, 535-536.
- ELECTROPHORESIS, *Fundulus heteroclitus* 298-301; *Pocilia formosa* 292-297.
- muscle proteins, *Peltorhamphus* (three spp.) 351.
- serum proteins, *Maccullochella* (two spp.) (immunoelectrophoretic patterns) 58-60; *Notophthalmus viridescens* 525-528; *Rana pipiens* (comparison between two sympatric forms) 235-237.
- EMBRYOLOGY, *Bathygobius soporator* 477-482; *Desmognathus ochrophaeus* 532-540; *Gobiosoma oceanops* 477-482; *Urophycis regius* 188-190; *Zygonectes notatus* (developmental sequences at several temperatures) 862-864.
- EVOLUTION
- Australian desert lizards speciation (23 genera, 94 species) 127-143.
- development of multicellular dermal mucous glands in *Siren intermedia* 630.
- glands of gekkonid lizards 568-569.
- teeth in salamanders 586-588.
- FEEDING (including food), *Bufo regularis*, *Bufo garmani* tadpoles 669-679; *Callionymus belcheri* 464-466; *Callisaurus draconoides* 496-497; *Cyclothone acclinidens*, *C. signata* 868-871; *Desmognathus ochrophaeus* 537, 539; *Elaphe guttata* 529-531; *Lepomis megalotis*

peltastes 272-277; *Lucayablenius zingaro* 591; *Mustelus canis* 810; pearlfishes 840; *Plethodon neomexicanus* 489; *Rana septentrionalis* 390-391; *Typhlichthys subterraneanus* 880.

egg feeding (oophagy), *Desmognathus ochrophaeus* 539.

food deprivation, *Chrysemys picta picta* 392-394.

FLUID BALANCE (see WATER BALANCE)

FOOD (see FEEDING)

GENETICS

hybrids, of *Gila orcutti* and *Hesperoleucus symmetricus* 856-858.

mutant alleles, *Fundulus heteroclitus* 298-301. Wahlund effect, in *Notophthalmus viridescens* 528.

GEOGRAPHIC LOCALITIES

Africa, *Bufo* (regularis, *garmani*) tadpoles 670.

Argentina, *Apostolepis ambiniger* 588-589; *Bufo spinulosus*, *Chacophrys pierotti*, *Eleutherodactylus discoidalis*, *Hyla* (two spp.), *Lepidobatrachus* (two spp.), *Leptodactylus* (three spp.), *Odontophrynus* (two spp.), *Pleurodema* (two spp.), *Telmatobius schreiteri* 379-380.

Arizona, *Bufo cognatus* 381-383; *Callisaurus draconoides* 495; *Ictiobus* spp. 12-16; *Salmo* (*apache*, *gilae*) 401-421; *Scaphiopus couchii* 209-216; *Sceloporus jarrovi* 227-232; *Sceloporus virgatus* 660; *Thamnophis rufipunctatus* 264.

Arkansas, *Noturus taylora* 785.

Atlantic Ocean (northwestern), *Brevoortia tyrannus* 370-373; *Centrolophus niger* 185-187; *Cookeolus boops* 884-885.

Australia, *Galaxias maculatus* 368-370; *Maccullochella* (*macquariensis*, *peeli*) 53-63; *Mixophyes fasciolatus* 379.

Australia (desert region), 23 lizard genera and 94 species 127-143.

Australia (Queensland), *Callionymus* (*belcheri*, *grossi*, *sublaevis*, *punctatus*), *Centropogon marmoratus*, *Leiognathus moretonensis*, *Lovanima fasciata*, *Monacanthus oblongus otiensis*, *Sillago maculata* 461-464.

Australia (Victoria), *Crinia victoriana* 163-168.

Bahamas, *Opisthognathus megalepis* 48.

Bolivia, *Apostolepis tenuis* 588-589.

Brazil, *Apostolepis ambiniger* 588-589; *Carcharhinus leucas* 601-604; *Crossodactylus dispar*, *Cyclotherophus asper*, *Eleutherodactylus guentheri*, *Elosia latiristrigata*, *Hyla* (two spp.), *Leptodactylus marmoratus*, *Physalaemus maculiventris* 379-380.

Brazil (Atol das Rocas), *Eupomacentrus rocasensis* 330-335.

British Honduras, *Coryphopterus hyalinus*, *Lucayablenius zingaro* 590.

California, *Anoplarchus purpureus* 187-188; *Bufo* (*boreas*, *microscopus*) 580; *Callisaurus draconoides* 495; *Chromis punctipinnis* 423-426; *Coluber constrictor* 264; *Crotalus viridis* 264; *Cyclothone* (*acclinidensis*, *signata*) 869; *Cyprinodon milleri* 768-779; *Fundulus parvipinnis* 592; *Gila orcutti* 849-859; *Gillichthys mirabilis* 278-290; *Hesperoleucus symmetricus* 849-859; *Hyla regilla* 581; *Lam-*

propeltis getulus 264; *Macrorhamphosus gracilis* 423-426; *Phyllorhynchus decurtatus*, *Pituophis melanoleucus* 264; *Sauromalus obesus* 145-150; *Salmo aguabonita*, sp., 402; *Sceloporus occidentalis* 643-649; *Sebastes* (*chlorostictus*, *ensifer*, *goodei*, *hopkinsi*, *jordanii*, *miniatus*, *ovalis*, *paucispinis*, *rufinanus*, *serranoides*) 423-426; *Thamnophis* (*couchi*, *elegans*) 264; *Trachurus symmetricus* 423-426; *Uma scoparia* 650; *Uta stansburiana* 643-649; *Xenopus laevis* 584.

California (off southern) *Cyclothone* (*acclinidensis*, *signata*) 88-95; *Porichthys notatus* 423-426.

Cambodia, *Phenablenius heylikeri* 64, 70.

Canal Zone, *Bufo typhonius*, *Leptodactylus* (three spp.), *Physalaemus pustulosus* 379.

Caribbean Sea, *Erythrocles monodi* 875-877; *Opisthonema captivai* 1-3; *Syngnathus scovelli makaxi* 781-784.

Central America, caecilians 680-695.

Ceylon, *Etrophus* (*maculatus*, *suratensis*) 834.

Chile, *Brachygalaxias bullocki*, *Galaxias* (*maculatus*, *platei*) 368-370.

Colombia, *Carcharhinus leucas* 601; *Chiasmocleis panamensis* 896; *Lithodytes lineatus*, *Phyllomedusa hypochondrialis* 379-380.

Colombia (Caribbean Sea), *Opisthonema captivai* 1-3.

Colorado, *Salmo clarki* 402.

Connecticut, *Bufo woodhousei fowleri* 182-185; *Fundulus heteroclitus* 298-301.

Costa Rica, *Astyanax fasciatus*, *Basiliscus* (two spp.), *Cichlasoma* (three spp.), *Heterotilapia multispinosa*, *Neoheterandria umbratilis* 387-388; *Rana* (*pipiens*, *palmipes*, *vibicaria*, *warschewitschi*) 383-385; *Rhamdia* sp., *Roeboidea guatemalensis* 387-388.

Cuba, *Opisthognathus melachasma* 50.

Ecuador, *Hyla cruentomma* 265-271; *Pelamias platyrus* 548.

Florida, *Carcharhinus* (*limbatus*, *milberti*, *obscurus*) 306-324; *Chrysemys concinna suwanniensis* 385-387; *Elaphe guttata* 246-251; *Eleutherodactylus planirostris* 379; *Galeocerdo cuvieri* 306-324; *Gobiosoma oceanops* 477; *Negaprion brevirostris*, *Rhizoprionodon terraenovae*, *Sphyrna mokarran* 306-324.

Guatemala, *Bufo* (three spp.) 377-380.

Gulf of California, *Apristurus kampae* 73; *Argyrolepis lychnus*, *Bajacalifornia burragei*, *Bathophilus filifer*, *Bathylagus nigri-*

genus, *Benthosoma panamense*, *Bregmaceros bathymaster*, *Cyclothone stilbicus*, *Diaphus pacificus*, *Diogenichthys lateratus*, *Diplophos proximus*, *Gonichthys tenuiculus*, *Holtbyrnia melanocephala*, *Hygophum atratum*, *Lampanyctus* (*idostigma*, *omostigma*, *parvicauda*), *Lepidophanes pyrosobolus*, *Leuroglossus acclinidensis*, *Melamphaes* (*acanthomus*, *laeviceps*, *macrocephalus*), *Merluccius angustimanus*, *Myctophum affine*, *Nemichthys scolopaceus*, *Parmaturus xanurus*, *Poromitra crassiceps*, *Avocettina bowersi*, *Scopelogadus mizolepis bispinosus*, *Scopelarchus nicholsi*, *Scopelengus tristicus*, *Scopeloberyx robustus*, *Serrivomer sector*, *Stomias atriventer*, *Triphoturus mexicanus*, *Trichiurus nitens*, *Vinciguerria lucetia* 448-461.

Gulf

Syn-

pelo-

Hawa-

Illino-

246-

pelt-

India,

Gly-

Indian

cons-

251;

plat-

(sipe-

leuc-

sirta-

Israel,

polo-

Spal-

Kansas

Kentuc-

licht-

Korea,

Lesser

Louisia-

triser-

Marsha-

Medit-

597-

Mexico

Char-

labia-

noly-

Poecl-

dorsa-

379-3

Mexico

noide-

Mexico

talus

Trim-

Mexico

Mexico

Mexico

Crot-

Michiga-

Minnes-

Mississ-

Missouri

toma-

Nevada,

New Jer-

Uroph-

New Mex-

debilis

flagell-

487; S-

(elegan-

New Yo-

Rana

New Zea-

North C-

533; E-

ium) 43

Ohio, El-

Oklahom-

193-194

Oklahom-

cognatu-

Okinawa,

- Gulf of Mexico, *Amphelikurus dendriticus*, *Syngnathus* (*elucens*, f. *floridae*, *louisianae*, *pelagicus*, *springeri*) 844-848.
- Hawaii, *Labroides phithrophagus* 821.
- Illinois, *Bufo woodhousi* 378; *Elaphe vulpina* 246-251; *Etheostoma camurum* 433; *Lampropeltis calligaster*, *Thamnophis radix* 246-251.
- India, *Etiopis* (*maculatus*, *suratensis*) 834; *Glyptothorax* (*coheni*, *nelsoni*) 340-342.
- Indiana, *Akistrodon contortrix* 264; *Coluber constrictor*, *Elaphe* (*obsoleta*, *vulpina*) 246-251; *Etheostoma camurum* 433; *Heterodon platyrhinos*, *Lampropeltis getulus*, *Natrix* (*sipedon*, *erythrogaster*), *Pituophis melanoleucus*, *Regina septemvittata*, *Thamnophis sirtalis* 246-251.
- Israel, *Coluber* (*jugularis*, *ravergieri*), *Malpolon monspessulanus*, *Psammophis schokari*, *Spalerosophis diadema* 246-251.
- Kansas, *Thamnophis radix* 264.
- Kentucky, *Etheostoma camurum* 433; *Typhlichthys subterraneanus* 879-881.
- Korea, *Bombina orientalis* 379.
- Lesser Antilles, *Opistognathus megalepis* 48.
- Louisiana, *Natrix fasciata* 246-251; *Pseudacris triseriata* 380; *Storeria dekayi* 264.
- Marshall Islands, *Siphania fuscolineata* 595.
- Mediterranean Sea, *Lepophidium cervinum* 597-598.
- Mexico, *Bufo* (*cognatus*, *compactilis*) 381-383; *Characodon lateralis* 728-756; *Leptodactylus labialis* 379-380; *Pelamis platurus* 548; *Phrynohyas venulosa*, *Pternohyla fodiens* 379-380; *Poecilia formosa* 292-297; *Rhinophrynus dorsalis*, *Smilisca baudini*, *Triprion spatulata* 379-380; *Xenotoca* (three spp.) 728-756.
- Mexico (Baja California), *Callisaurus draconoides* 495.
- Mexico (Colima), *Akistrodon bilineatus*, *Crotalus basiliscus* 264; *Leptodeira maculata*, *Trimorphodon biscutatus* 246-251.
- Mexico (Nuevo Leon), *Crotalus atrox* 264.
- Mexico (Oaxaca), *Starksia posthon* 599.
- Mexico (Sonora), *Callisaurus draconoides* 495; *Crotalus molossus* 264.
- Michigan, *Bufo americanus* 151-157.
- Minnesota, *Rana septentrionalis* 169-175.
- Mississippi, *Lampropeltis getulus* 246-251.
- Missouri, *Akistrodon contortrix* 264; *Ambystoma annulatum* 664.
- Nevada, *Callisaurus draconoides* 495, 695.
- New Jersey, *Notophthalmus viridescens* 525; *Urophycis regius* (off Cape May) 188-190.
- New Mexico, *Bufo cognatus* 371-383; *Bufo debilis* 572; *Elaphe subocularis*, *Masticophis flagellum* 264; *Plethodon neomexicanus* 486-487; *Salmo* (*gilae*, *clarki*) 402; *Thamnophis* (*elegans*, *sirtalis*) 264.
- New York, *Enneacanthus gloriosus* 878-879; *Rana septentrionalis* 390-391.
- New Zealand, *Peltorhamphus* (three spp.) 346.
- North Carolina, *Desmognathus ochrophaeus* 533; *Etheostoma* (*camurum*, *chlorobranchium*) 433-434; *Ichthyomyzon hubbsi* 470-471.
- Ohio, *Etheostoma camurum* 433.
- Oklahoma (southeastern), *Etheostoma histrio* 193-194.
- Oklahoma, *Akistrodon piscivorus* 264; *Bufo cognatus* 381-383.
- Okinawa, *Hydrophis ornatus* 548.
- Ontario, *Lepomis megalotis* *pellastes* 272-277.
- Oregon, *Ascapus truei* 379; *Dicamptodon ensatus* 177-179.
- Pacific Ocean (eastern), *Centrophryne spinulosa* 19-20.
- Pacific Ocean (north-central), *Phyllorhinichthys micractis* 336.
- Panama, *Chiasmocleis panamensis* 896.
- Paraguay, *Apostolepis ambiniger* 588-589.
- Pennsylvania, *Chrysemys picta* 217-221; *Desmognathus fuscus* 633; *Etheostoma camurum* 433.
- Peru, *Hyla* (five spp.), *Lithodytes lineatus* 379-380; *Neusticurus* (*ecpleopus*, *strangulatus*) 886-888; *Phrynohyas venulosa*, *Phyllomedusa tarsius* 379-380.
- Philippines, *Laticauda colubrina* 548; pearl-fishes (Carapidae) 839-843.
- Sumatra, *Phenablennius heyligeri* 64, 70.
- South Africa, *Bufo rangeri* 379.
- South Carolina, *Elaphe guttata* 529; *Cemophora coccinea* 582; *Crotalus horridus atricaudatus* 222-226.
- South China Sea, *Carapus homei* 872.
- Tennessee, *Etheostoma* (*camurum*, *chlorobranchium*) 433-434; *Natrix rhombifera* 246-251.
- Texas, *Acris crepitans* 377-380, 521; *Akistrodon* (*contortrix*, *piscivorus*) 264; *Ambystoma tigrinum* 889; *Anolis carolinensis* 575; *Arizona elegans* 264; *Bufo* (five spp.) 377-380; *Crotalus* (*atrox*, *lepidus*, *molossus*, *scutulatus*, *viridis*) 264; *Elaphe* (*guttata*, *obsoleta*, *subocularis*) 264; *Etheostoma histrio* 193-194; *Heterodon nasicus* 264; *Hyla* (four spp.) 377-380; *Lampropeltis* (*calligaster*, *getulus*, *mexicana*) 264; *Masticophis* (*flagellum*, *taeniatus*) 264; *Natrix* (*erythrogaster*, *harteri*, *rhombifera*) 264; *Pituophis melanoleucus sayi* 264; *Pseudacris* (two spp.) 377-380; *Pseudacris streckeri* 521; *Rana pipiens* (two forms) 232-240; *Scaphiopus* (three spp.) 377-380; *Salvadora* (*grahamiae*, *lineata*) 264; *Siren intermedia* 625; *Sistrurus catenatus* 264; *Storeria dekayi* 264; *Syrrophus marnocki* 377-380; *Thamnophis* (*cyrtopsis*, *marcianus*, *proximus*) 264.
- United States (western), *Crotaphytus* 707-729.
- Utah, *Masticophis taeniatus* 264; *Salmo clarki* 402.
- Virginia, *Etheostoma camurum* 433; *Malaclis terrapin terrapin* 389.
- Virgin Islands (St. Croix), *Anolis acutus* 509.
- Washington, *Ascapus truei* 379.
- West Virginia, *Etheostoma camurum* 433.
- Wyoming, *Bufo cognatus* 381-383; *Salmo clarki* 402.
- Yucatan (Arrowsmith Bank), *Opistognathus* (*megalepis*, *melachasma*) 48, 50.
- GILLS (see ANATOMY)
- GLANDS (see ANATOMY)
- GLUCOSE (see PHYSIOLOGY)
- GONADS (see ANATOMY)
- GROWTH (see AGE AND GROWTH)
- HABITAT (see ECOLOGY)
- HATCHLINGS (see REPRODUCTION)
- HERMAPHRODITISM, *Alosa pseudoharengus* 597.
- HIBERNATION (see ECOLOGY)

HISTOCHEMISTRY (see HISTOLOGY)

HISTOLOGY

cephalic gland cells, in sea snakes 557.

cocoon, in *Siren intermedia* (secreted by skin) 625.

epidermal and dermal skin glands, *Siren intermedia* 625-631.

epidermal gland cells, in gekkonid lizards 559-571.

epidermis, *Pituophis melanoleucus* 704-705.

histochemistry, *Xenochrophis piscator* (muscle fibers) 176-177.

snout flaps, *Phyllorhynchus micractis* 335-340.

testes (seasonal), *Gillichthys mirabilis* 278-290.

HOME RANGE (see ECOLOGY)

HOMING (see BEHAVIOR)

HYBRIDIZATION, *Crotaphytus* 711-717; *Gila*

orcutti and *Hesperoleucus symmetricus* 856-858.

combinations, *Crotaphytus collaris* × *Crotaphytus insularis* 707-726; *Etheostoma spectabile* × *Percina caprodes* 857; *Fundulus grandis* × *Lucania parva* 863; *Gila orcutti* × *Hesperoleucus symmetricus* 849-859; *Ictiobus cyprinellus* × *Ictiobus bubalus* 12-17; *Lepomis cyanellus* × *Lepomis microlophus* 273, 277; *Salvelinus fontinalis* × *Salvelinus namaycush* 123, 125-126; *Xenotoca eiseni* × *Xenotoca melanotosoma* 748, 753, 755.

hybrid compatibility, *Rana* (*pipiens*, *palmipes*, *warschewitschi vibicaria*) 383-385.

HYDRODYNAMIC EQUILIBRIUM

buoyancy control, *Odontaspis taurus* 594-595; *Ruvettus pretiosus* (integument) 78-87.

relation to water and oil content in Florida sharks 306-324.

ILLUSTRATIONS, *Anoplarchus purpureus*

188; *Apristurus kampae* 73; *Centrophryne spinulosa* 20; *Characodon lateralis* 730; *Crotaphytus insularis* ssp. 720; *Crotaphytus insularis compressus* 721; *Crotaphytus collaris* × *Crotaphytus insularis* 714-715; *Equetus* (*acuminatus*, *lanceolatus*) 9; *Etheostoma* (*camurum*, *chlorobranchium*) 432; *Eupomacentrus rocasensis* 331; *Glyptothorax* (*coheni*, *nelsoni*) 341, 343; *Hyla cruentomma* 268; *Lepophidium cervinum* 598; *Lucayablennius zingaro* 591; *Maccullochella* (*macquariensis*, *peeli*) 57, 61-62; *Noturus taylori* 785; *Opisthonema* (*captivai*, *oglinum*) 3; *Opistognathus* (*megalopsis*, *mela-chasme*) 48, 51; *Ostracion* (*cubicus*, *meleagris camurum*, *meleagris meleagris*, *whitleyi*) 757-758, 760, 763-765; *Peltorhamphus* (*latus*, *novaezeelandiae*, *tenuis*) 352, 354; *Phenablennius hey-ligeri* 66, 68; *Pituophis melanoleucus catenifer* 703; *Rana pipiens berlandieri* 234; *Rana pipiens* plains type 235; *Ruvettus pretiosus* 79; *Salmo* (*apache*, *gilae*) 403, 409, 411; *Sebastes rufinus* 424; *Siphamia fuscolineata* 595; *Starkia posthorn* 599; *Xenotoca* (*eiseni*, *melanosoma*, *variata*) 738, 743, 748-749.

KARYOLOGY, *Apteronotus albifrons* 191-192;

Agkistrodon (three spp.), *Arizona elegans* 257, 265; *Brachygalaxias bullocki* 368-370;

Characodon lateralis 728-756; *Coluber constrictor* 257-265; *Crotalus* (seven spp.), *Elaphe* (five spp.) 257-265; *Galaxias* (*maculatus*, *platei*) 368-370; *Gila orcutti*, *Hesperoleucus symmetricus*, hybrids 853-854; *Heterodon nasicus*, *Lamprobellis* (three spp.), *Masticophis* (two spp.), *Natrix* (three spp.) 257-265; *Neusticurus* 886-887; *Phyllorhynchus decurtatus*, *Pituophis melanoleucus* 257-265; *Salmo* (*aguabonita*, *apache*, *clarki*, *gairdneri*, *salar*, sp., *trutta*) 404-421; *Salvadora* (two spp.), *Sistrurus catenatus*, *Storeria dekayi*, *Thamnophis* (eight spp.) 257-265; *Xenotoca* (three spp.) 728-756.

method of display of chromosomes, *Limanda limanda*, *Pleuronectes platessa*, *Rhombus maculatus*, *Solea solea* 365-367.

nuclear DNA, *Bufo* (*bufo*, *terrestris*), *Rana* (*atesbeiana*, *spinocephala*) 364; *Polypterus palmas* 363-365.

KEYS, caecilians (Central America) 680-695; Ceratiodi 18-19; *Etheostoma* (subgenus *Nothonotus*) (eleven spp.) 429; *Opisthonema* 1-3; *Ostracion* 757-759; *Peltorhamphus* 347.

LARVAE, *Bufo* (*garmani*, *regularis*) 669-679; *Crinia* and *Litoria* 167; *Gobiosoma oceanops* 480-482; *Hyla cruentomma* 269; *Urophycis regius* 188-190.

ammocoetes, *Ichthyomyzon hubbsi* 473.

LOCOMOTION, *Bufo* (*marinus*, *terrestris*), *Hyla crucifer*, *Rana clamitans* 613-624.

swimming, *Lucayablennius zingaro* 590-591.

MERISTICS, *Aeluroscalabotes felinus* 564; *Anthias heraldi* (= *Lutjanus gibbus*) 600; *Coleonyx* (three spp.) 564; *Cookeolus boops* 884-885; *Crotaphytus* (*collaris*, *insularis*, and hybrids of the two) 712; *Cryptopsophis sinuatus* 689; *Cyprinodon* (*diabolis*, *milleri*, *nevadensis*, *radiosus*, *salinus*) 770, 772; *Dermophis* (*mexicanus*, *oxacae*) 683; *Erythrocles* (*monodi*, *schlegeli*, *scintillans*) 875; *Etheostoma* (*camurum*, *chlorobranchium*) 435-439; *Eublepharis* (four spp.) 564; *Eupomacentrus* (*fuscus*, *leucostictus*, *ophiophorus*, *partitus*, *planifrons*, *variabilis*) 333; *Gila orcutti*, *Hesperoleucus symmetricus* (including hybrids) 855-856; *Gymnopsis* (three spp.) 687; *Hemithelyconyx* (two spp.) 564; *Holodactylus africanus* 564; *Ilisha* (*megaloptera*, *indica*) 881-882; *Lepophidium cervinum* 598; *Lucayablennius zingaro* (vertebral counts) 591; *Maccullochella* (*macquariensis*, *peeli*) 59; *Noturus taylori* 787-788; *Opisthonema* (western Atlantic) 2; *Opistognathus* (*megalopsis*, *mela-chasme*) 48-51; *Ostracion meleagris camurum* 764; *Peltorhamphus* (three spp.) 350-351; *Phenablennius heyliigeri* 68-69; *Phyllorhynchus micractis* 338; *Salmo apache* 405; *Sebastes rufinus* 423-425; *Syngnathus* (five spp.) 845; *Syngnathus* (*scovelli*, *scovelli*, *scovelli makaxi*) 781-783; *Xenotoca melanotosoma* 750.

METABOLISM (see PHYSIOLOGY)

MIGRATION (see MOVEMENT)

MORPHOLOGY, *Acris crepitans*, *Bombina orientalis*, *Chacophrys pierotti* 376-380; *Centrophryne spinulosa* 21-24; *Chiasmocleis pana-*

- mensis* 897; *Cookeolus boops* 884-885; *Crosodactylus dispar*, *Cyclorhamphus asper*, *Edalorhina perezii*, *Eleutherodactylus* (three spp.), *Elosia latiristrigata*, *Lepidobatrachus* (two spp.), *Leptodactylus* (seven spp.), *Lithodytes lineatus*, *Mixophyes* 376-380; *Noturus taylori* 785-789; *Odontophrynus* (two spp.), *Phrynosoma venulosa*, *Phyllomedusa*, *Phyllomedusa* (two spp.), *Pleuroderma* (three spp.), *Pseudacris* (three spp.), *Pternohyla fodiens*, *Rhinophrynus dorsalis*, *Smilisca baudini*, *Syrrophus marnocki*, *Telmatobius schreiteri*, *Triprion spatulata* 376-380.
- adaptations to different depths, *Cyclothone* (*acclinidens*, *signata*) 89-95.
- comparison, between two sympatric forms of *Rana pipiens* 237-239.
- deformity, *Anophrarchus purpureus* 187-188.
- dextrality and sinistrality in pectoral girdles of various anurans (*Ascapus truei*, *Bufo* [eleven spp.], *Hyla* [three spp.], *Scaphiopus holbrookii* 376-380).
- functional, body inflating during calling in *Bufo* (three spp.) and *Scaphiopus* (two spp.) 240-245.
- gut, *Osteoglossomorpha* (Hiodontidae, Notopteridae, Osteoglossidae, Pantodontidae, Mormyridae, Gymnarchidae) 325-328.
- morphological relationships using discriminant function analysis, *Bufo cognatus* species group (*cognatus*, *compactilis*, *speciosus*) 381-382.
- scales (analysis by scanning electron microscope) *Gekko gekko* 252-256.
- MORPHOMETRICS**, *Amphibolurus* (*barbatus*, *caudicinctus*, *clayi*, *cristatus*, *dualis*, *fordi*, *inermis*, *isolepis*, *muricatus*, *pictus*, *reticulatus*, *scutellatus*) 506; *Apisturus kampae* 72; *Bufo terrestris* 618-623; *Callisaurus draconoides* 505; *Carapap* (*homei*, *mourlani*) 841-842; *Centropomus niger* 185-187; *Characodon lateralis* 733; *Cnemidophorus tigris* 505; *Crotaphytus wislizeni* 505; *Cookeolus boops* 884-885; *Cyprinodon milleri* 769-774; *Cyprinodon* (*nevadensis*, *radiosus*) 771; *Cyprinodon salinus* 769-774; *Dipsosaurus dorsalis* 505; *Erythrocles* (*monodi*, *schlegeli*, *scintillans*) 875; *Etheostoma* (*camurum*, *chlorobranchium*) 440; *Gila orcutti* 851-857; *Glyptothorax* (*coheni*, *nelsoni*) 342, 344; *Hesperoleucus symmetricus* (including hybrids) 851-857; *Hyla* (*baumgardneri*, *cruentomma*) 266; *Hyla crucifer* 618-623; *Jordanicus gracilis* 841-842; *Noturus taylori* 786; *Maccullochella* (*macquariensis*, *peeli*) 59; *Onuxodon* (*margaritiferae*, *parvibrachium*) 841-842; *Opisthonema captivai* 2; *Opistognathus* (*megalepis*, *melachasma*) 49, 51; *Ostracion* (*cubicus*, *meleagris*, *whitleyi*) 757; *Peltorhamphus* 350; *Phrynosoma platyrhinos*, *Sceloporus magister* 505; *Phyllorhynchus micratis* 338; *Pseudemys scripta* 543; *Rana clamitans* 618-623; *Salmo apache* 406; *Syngnathus* 846-847; *Syngnathus scovelli* 782; *Uma scoparia*, *Urosaurus graciosus*, *Uta stansburiana*, 505; *Xenotoca* (*melanosoma*, *variata*) 733.
- MOVEMENT**, *Masticophis taeniatus* 893.
- homing and orientation, *Bufo americanus* 151-157.
- locomotion, *Bufo* (*marinus*, *terrestris*), *Hyla crucifer*, *Rana clamitans* 613-624.
- migration (vertical-diurnal and nocturnal), *Cyclothone signata* 94-95.
- NOMENCLATURE**, *Maccullochella* (*macquariensis*, *peeli*) 61-62; *Rhiniodon typus* 362.
- NUTRITION** (see **PHYSIOLOGY**)
- ORIENTATION** (see **MOVEMENT**)
- OSTEOLOGY**, *Centrophrynidae* (*Centrophryne spinulosa*) 26-43; *Gurgesiella atlantica*, *G. furvescens* 356-358; *Phenablennius heyligeri* 68-70; *Phyllorhynchus micratis* (partial osteology) 336-338; *Pseudoraja fisheri* 356-358; *Salmo apache* 410.
- otoliths, various *Centrophrynidae* 42; *Sebastes rufinatus* 424.
- skeleton (appendicular, postaxial), *Bufo* (two spp.) *Hyla crucifer*, *Rana clamitans* 613-624.
- OTOLITHS** (see **OSTEOLOGY**)
- PARASITISM**
- damage to gills of *Brevoortia tyrannus* 370-373.
- ectoparasite cleaning, *Labroides phthiropagrus* 828.
- intestinal nematodes, in *Plethodon neomexicanus* 487.
- isopod (*Olencira praegustator*), parasitic on *Brevoortia tyrannus* 370-373.
- PARIETAL EYE** (see **ANATOMY**)
- PERFUSION** (see **PHYSIOLOGY**)
- PROTEINS** (see **PHYSIOLOGY**)
- PHYSIOLOGY**
- androgen levels, *Salmo gairdneri* (diel variation) 865-868
- biochemistry, *Ambystoma annulatum* (effect of pancreatic hormone on blood glucose) 664-668; *Sceloporus jarrovi* (seasonal cytological changes) 227-232; *Xenochrophis piscator* (muscle fiber) 176-177.
- critical activity point (CAP), *Acris crepitans* and *Pseudacris streckeri* 519-525.
- electrolyte metabolism, *Uma notata notata* 109-121.
- glucose, levels in liver of *Natrix fasciata* 374-376.
- ion concentration and pH of gallbladder bile, *Lepisosteus platostomus*, *Amia calva*, *Salmo trutta*, *Salvelinus fontinalis*, *Esoc lucius*, *Cyprinus carpio*, *Minytrema melanops*, *Ictalurus natalis*, *Micropterus salmoides*, *Stizostedion vitreum* 860-861.
- metabolism, rate in *Dicamptodon ensatus* larvae and adults 177-179; liver metabolism in *Natrix fasciata* 374-376; relation to body weight in snakes (11 genera, 15 species) 179-181.
- nitrogen excretion in frog tadpoles (genera *Litoria* and *Crinia*) 167.
- nutrition, *Bufo* (*garmani*, *regularis*) tadpoles 669-679.
- perfusion, *Natrix fasciata* (liver) 374-376.
- proteins, *Natrix fasciata* (levels in liver) 374-376.
- salinity tolerance, *Fundulus parvipinnis* 592-594; *Xenopus laevis* 584-585.

- temperature, *Notemigonus crysoleucas* (maximum lethal) 185.
- thermoregulation, *Bufo debilis* 572-574; *Callisaurus draconoides* 502-503; *Chrysemys picta* (related to activity) 217-221; *Elaphe vulpina*, *Pituophis melanoleucus*, *Thamnophis radix* (variation in body temperature) 577-579; *Sauromalus obesus* (relation to behavior) 145-150.
- thermal relations, *Uma notata notata* 109-121.
- thyroidal control of sloughing, *Thamnophis sirtalis* 158-162.
- touch response, *Carassius auratus* 816-819.
- toxic extract response, *Gambusia* (of catfishes) 790-807.
- uric acid, levels in liver of *Natrix fasciata* 374-376.
- water (body fluid) balance, dehydration and water uptake in amphibian eggs 163-168; water content and liver oil in Florida sharks 306-324; *Acris crepitans* and *Pseudacris streckeri* 519-525; *Chrysemys picta picta* (weight loss during food deprivation) 392-394; *Crinia georgiana* (effect of vasotocin) 885-886; *Pituophis melanoleucus catenifer* 702-707; *Scaphiopus couchii* 209-216; *Uma notata notata* (water metabolism) 109-121; *Uma scoparia* (water metabolism and turnover related to diet) 651-652.
- weight changes, *Sceloporus jarrovi* (seasonal changes in fat bodies and liver) 227-232.
- PIGMENTATION** (including COLOR), *Characodon lateralis*, *Xenotoca* (three spp.) 728-756; *Chiasmocleis panamensis* 897; *Etheostoma* (*camurum*, *chlorobranchium*) 434, 440-441; *Eupomacentrus rocasensis* 330; *Glyptothorax* (*coheni*, *nelsoni*) 342, 344; *Hyla cruentomma* 267-268; *Opisthognathus* (*megalepis*, *melachasma*) 49, 51; *Salmo apache* 405-407; *Sceloporus virgatus* (breeding) 660-663; *Starksia posthon* 599.
- variation in angle of eye lines related to body shape and to stripes and bars, *Antennarius striatus*, *Apogon* sp., *Blennius pavo*, *Bothus lunatus*, *Chaetodon striatus*, *Coris angulata*, *Epinephelus striatus*, *Equetus* (*acuminatus*, *lanceolatus*), *Gramma melacara* 4-11.
- POLYPLOIDY**
- triploidy, *Poecilia formosa* 292-297.
- RELATIONSHIPS**, blennioid tribes (relationship to Phenablenniini) 65-67; Centrophrynidae (*Centrophryne spinulosa*) 43-44; Colubridae (based on serological analysis of 13 genera and 22 species) 246-251; Cyprinodon (in Death Valley System) 773-775; *Etheostoma* (subgenus *Nothonotus*) (eleven spp.) 427-446; *Fundulus* spp. 862-864; *Glyptothorax* (*coheni*, *nelsoni*) 342-344; *Gurgesiella* 356-359; *Hyla cruentomma* 267-268; *Opisthomena captivi* 3; genus *Peltorhamphus* (three spp.) 348-349; *Pseudoraja* 356-359; *Salmo* (*aguabonita*, *apache*, *clarki*, *gilae*) 401-421; *Zygocetes* (*notatus*, *olivaceus*) 862-864.
- intrasubfamilial (gekkonid lizards) 569-570.
- REPRODUCTION**, *Alosa pseudoharengus* (hermaphroditic) 597; *Anolis acutus* 509-518; *Callionymus belcheri* 467; *Callisaurus draconoides* 499-502, 505-507; *Crotalus horridus atricaudatus* 222-226; *Gopherus agassizi* 894; *Masticophis taeniatus* 894; *Plethodon neomexicanus* 489-491; *Rana septentrionalis* 169-175.
- artificial insemination, *Brachydanio rerio* 302-305.
- hatchlings, *Callisaurus draconoides* 502.
- reproductive cycle, *Gillichthys mirabilis* 278-290.
- spawning, *Callionymus belcheri* 467; *Gillichthys mirabilis* (period) 278-290; *Gobiosoma oceanops* 477; *Ichthyomyzon hubbsi* 471.
- SCALES** (see MORPHOLOGY)
- SEXUAL DIMORPHISM**, *Crotalus horridus atricaudatus* 225-226.
- SEX RATIO**, *Callionymus belcheri* 466-467; *Lucayablennius zingaro* 591.
- SPAWNING** (see REPRODUCTION)
- STARVATION**, *Carcharhinus milberti*, *Galeocerdo cuvieri*, *Negaprion brevirostris* 325-328.
- SURVIVAL**
- effect of toe clipping on survival, in *Bufo woodhousei fowleri* 182-185.
- SWIMMING** (see LOCOMOTION)
- SYMBIOSIS** (see ECOLOGY)
- SYNONYMIES**, *Anthias heraldi* (= *Lutjanus gibbus*) 599-600; *Maccullochella* (*macquariensis*, *peeli*) 54-55, 61-62; *Peltorhamphus novaezeelandiae* 352; *Phenablennius heyli* 66, 68.
- TAXONOMY**, *Apristurus kampae* 71-77; *Apostolepis* (*abiniger*, *tenuis*, *vittata*) 588-589; *Anthias heraldi* 599-600; *caecilians* 680-695; *Centrophrynidae* 17-46; *Characodon* 728-751; *Crotaphytus* (*collaris*, *insularis*) 707-729; *Cyprinodon milleri* 768-779; *Cyprinus smithi* 882-883; *Dermophis* 680-695; *Glyptothorax* (*coheni*, *nelsoni*) 340-344; *Gymnopsis* (Central America) 680-695; *Hyla cruentomma* 265-271; *Ilisha* (*indica*, *megaloptera*) 881-882; *Maccullochella* (*macquariensis*, *peeli*) 53-63; *Opisthomena* (western Atlantic) 1-3; *Opisthognathus* (*megalepis*, *melachasma*) 48-52; *Ostracion* 756-767; *Peltorhamphus* 345-356; *Phenablennius heyli* 64-71; *Xenotoca* 728-756.
- dental formula, *Carcharhinus leucas* 602.
- scalation, *Crotaphytus* 710.
- serum protein electrophoresis (taxonomic applications), *Chelydra serpentina*, *Claudius angustatus*, *Dermatemys mawi*, *Emys blandingi*, *Kinosternon* (eight spp.), *Macrochelys temminckii*, *Malayemys subtrijuga*, *Platysternon megacephalum*, *Pseudemys scripta*, *Staurotypus* (two spp.), *Sternotherus* (three spp.), *Terrapene carolina* 97-106.
- TEETH** (see ANATOMY)
- TESTES** (see ANATOMY)
- THERMOREGULATION** (see PHYSIOLOGY)
- TOXICITY**, arid and ictalurid catfishes 790-806.
- TYPES**
- allotype, *Xenotoca melanosoma* 750.
- holotypes (not including new species), *Maccullochella* (*brisbani*, *macquariensis*, *peeli*)

61-62; *Petroscirtes heyligeri* (*Phenablennius heyligeri*) 68, 70.
 lectotype, *Centrophryne spinulosa* 19.
 paratypes, *Cyprinodon milleri* 769; *Etheostoma chlorobranchium* 433, 440; *Eupomacentrus rocasensis* 330-335; *Glyptothorax coheni* 343; *Glyptothorax nelsoni* 341; *Hyla cruentomma* 266; *Noturus taylora* 785-787; *Opisthonema captivai* 1; *Opistognathus megalepis* 48; *Opistognathus melachasma* 50; *Peltorhamphus latus* 354; *Peltorhamphus tenuis* 353; *Salmo apache* 404-405; *Sebastes rufinanus* 425-426; *Syngnathus scovelli makaxi* 781; *Xenotoca melanostoma* 750.

VARIATION, *Etheostoma camurum* 430-431; *Etheostoma chlorobranchium* 441; *Hyla cruentomma* 267-269; *Ictiobus* spp. (in Arizona) 12-16; *Maccullochella (macquariensis, peeli)* 59.

WATER BALANCE (see PHYSIOLOGY)

ZOOGEOGRAPHY, Australian desert lizards (23 genera, 94 species) 127-143; *Etheostoma* (subgenus *Nothonotus*) 444-446; *Eupomacentrus rocasensis* 334-335.